MASTER FORCE®

POWER. PERFORMANCE. DURABILITY.

POWER TOOLS · HAND TOOLS · ACCESSORIES · STORAGE

2021 CATALOG

MASTERFORCE BOOST™

MAXIMUM PRODUCTIVITY

MASTERFORCE BOOST BATTERIES WORK TOGETHER WITH BOOST TOOLS TO DELIVER NEXT-LEVEL POWER AND PERFORMANCE

BRUSHLESS MOTOR

UP TO **10x** LONGER MOTOR LIFE

UP TO **50%** MORE RUNTIME

2x BATTERY LIFE

Industry leading battery management system provides optimized performance and overload protection to help battery run cooler delivering longer run time and extended battery life

BOOST TOOL & BOOST BATTERY

***BOOST TOOL** & STANDARD BATTERY*

***BOOST BATTERY** & STANDARD TOOL*

STANDARD BATTERY & STANDARD TOOL

PIVOTING SHOE
Provides maximum control

Tool-free Blade Clamp
Easy to use and provides non-slipping blade-holding power

Tool-less Blade Change
Easy to use and provides non-slipping blade-holding power

Variable Speed Trigger
For precise speed control

Electric Brake
Quickly stops the blade motion when the trigger is released

LED Worklight
Trigger activated light remains lit for 10 seconds after trigger is released to help illuminate the work area

Compact Reciprocating Saw
241-0448

Battery and charger sold separately.

Shock-absorbing Auxilary Handle
Reduces user fatigue for increased comfort during extended use
1/2" Metal Chuck
Holds bits securely and allows for easy bit changes
Electric Brake
Quickly stops the blade motion when the trigger is released
LED Worklight
Trigger-activated light stays lit for 10 seconds after the trigger is released
MASTERFORCE
BRUSHLESS
BOOST
2.5Ah

IMPULSE DRIVE FUNCTION

Impulse mode creates a pulsating on-off-on power cycle. This impulse of controlled low speed torque helps prevent bit from walking on material when drilling hard surfaces or when removing worn screws

30% FASTER
14% MORE TORQUE

SUPER BRIGHT LED WORK LIGHT

1/2" Hammer Drill Kit

- Includes one 2.5Ah Masterforce Boost battery, cahrger and carrying bag *241-0472*

COMPACT DESIGN**



33% MORE TORQUE
14% FASTER

Shock-absorbing Auxilary Handle
Reduces user fatigue for increased comfort during extended use
1/2" Metal Chuck
Holds bits securely and allows for easy bit changes
Electric Brake
Quickly stops the blade motion when the trigger is released
LED Worklight
Trigger-activated light stays lit for 10 seconds after the trigger is released
MASTERFORCE
BRUSHLESS
BOOST
2.5Ah

SUPER BRIGHT LED WORK LIGHT

1/2" Drill/Driver Kit

- Includes one 2.5Ah Masterforce Boost battery, cahrger and carrying bag *241-0485*

TOOL FREE ACCESSORY CHANGES

Change accessories with a simple turn of a lever and the innovative magnetic accessory interface helps hold the accessory in place while changing accessories

Universal clamp interface is compatible with most accessories in the market

MAGNETIC ACCESSORY GRIP

FAST CHANGE UNIVERSAL SYSTEM

RVS REDUCED VIBRATION SYSTEM

Patented vibration control system provides best-in-class vibration, reducing user-fatigue with up to 75% less vibration than competition.

Variable Speed Dial
Allows users to match speed to application
Dual LED Worklight
Trigger activated light remains lit for 10 seconds after trigger is released to help illuminate the work area
Big Oscillation Angle
3.6° oscillating angle provides fast cutting speed
MASTERFORCE
BRUSHLESS
BOOST

Oscillating Multi-Tool

241-0493

CORDLESS POWER TOOLS 20V BRUSHLESS MOTOR

520 ft. lbs.
MAXIMUM TORQUE

1/2" Tang with Friction Ring
For quick and easy socket changes

LED Work Light
Bright LED remains lit for 10 seconds after trigger is released to help illuminate the work area

3-Mode Control
Provides greater control over output speed and power for greater versatility

Auto-stop Functioning
Intelligently detects when the tool has impacted on a fastner for 1-2s and automatically shuts down the tool, reducing the likelihood of overdriving and damaging materials

Removable Belt Clip
Clip can be positioned on either side of the tool

4.0Ah High Capacity Battery
For improved tool performance and up to 2x runtime compared to 2.0 Ah battery

Electric Blade Brake
Quickly stops blade rotation

SUPER BRIGHT LED WORK LIGHT

Brushless 1/2" Impact Wrench Kit

- Includes 4.0Ah battery, charger and storage bag *241-0477*

Integrated Rafter Hook
For easy storage on the job

Tool-less Blade Change
For fast blade change without tools

LED Worklight
Bright LED light comesbefore blade starts and remains lit for 10 seconds after the trigger is released to help illuminate the work area

Tool-less Shoe Adjustment
For adjusting the shoe position and amount of exposed blade without tools

Orbital Action
2-Position switch allows for easy change from linear cutting to orbital cutting for fast and aggressive cutting

Electric Blade Brake
Quickly stops blade rotation

SUPER BRIGHT LED WORK LIGHT

Brushless Orbital-Action Reciprocating Saw

- Toolless blade change
- Built-in rafter hook *241-0492*

BRUSHLESS MOTOR 20V CORDLESS POWER TOOLS

Integrated Rafter Hook
For easy storage on the job

On-board Wrench Storage
For quick and easy blade changes

SUPER BRIGHT LED WORK LIGHT

Brushless 7-1/4" Circular Saw
241-0490

Brushless 400 CFM Leaf Blower
267-3122

SUPER BRIGHT LED WORK LIGHT

Brushless 3-Speed 1/4" Impact Driver
241-0435

Brushless 12" String Trimmer
267-3293

CORDLESS KITS 20v

LED Work Light
Bright LED light comes on before blade starts and remains lit for 10 seconds after trigger is released to help illuminate the work area

Saw Blade Cover
Covers the blade outside the active cutting area for added safety during use

Band Saw
241-0441

6-1/2" Circular Saw
241-0430

Orbital Jig Saw
241-0434

Reciprocating Saw
241-0433

20v BATTERIES

FLEXPOWER®
CHOOSE YOUR TOOL. CHOOSE YOUR POWER.
Advantage

MASTERFORCE® FLEXPOWER® cordless tools, batteries and chargers work together to get the job done

COMPATIBILITY

MASTERFORCE® FLEXPOWER® tools will work with any FLEXPOWER® 20v lithium-ion battery

Fast Charger

- Charges a 2.0Ah battery in just 20 minutes *252-8026*

Battery & Charger Starter Kit

- Includes 2.0Ah battery and battery charger *252-8041*

ONE-HAND Quick Change Collet
Makes bit changes quick & easy with push to lock loading and ejecting bit release

Variable Speed Trigger Switch
For precise speed control

LED Work Light
Bright light remains lit for 10 seconds after trigger is released to help illuminate work area

Power Display
Notifies the user when the charge is running low

Removable Belt Clip
Clip can be positioned on either side of tool

Electric Brake
Quickly stops the collet rotation

SUPER BRIGHT LED WORK LIGHT

1/4" Impact Driver Kit

- Includes 2.0Ah battery and charger 241-0459

CORDLESS POWER TOOLS 20v

2-Position RVS Anti-vibration Handle
Absorbs vibration to reduce fatigue; provides left & right position control

Spindle Lock Botton
For quick & easy disc changes

Tool-less Adjustable Guard
Bright LED remains lit for 10 seconds after trigger is released to help illuminate the work area

4-1/2" Angle Grinder
241-0438

Soft Start
Maintain control of tool on start up

Variable Speed Control
Allows you to match speed to work piece and task at hand

Dust Bag
Makes clean up easy

Hook & Loop Fastening System
For easy and tool free paper changes

5" Random Orbital Sander
241-0439

3/8" Right Angle Drill
241-0436

LED Area Light
- 850 lumens

241-0494

LED Work Light
- 2000 lumens

370-1972

Battery and charger sold separately.

20v CORDLESS POWER TOOLS

Large Dust-Sealed On/Off Switch
Extends life in dusty environments

Internal Accessory Storage
Keeps tools organized when not in use

Blower Port
Easily converts to blower

Rugged Toolbox Design
Easy to carry

2 Extension Wands
Provides extended cleaning reach

4-Gallon Wet/Dry Vacuum

- Cord-free operation *240-5241*

Accessories Included

Removable Shoulder Strap

1-7/8" Extension Wands

8' x 1-7/8" Flex Hose

1-7/8" Flexible Crevice Tool

1-7/8" 2-In-1 Utility Car Nozzle

Washable HEPA-Material Cartridge Filter

Radio with Bluetooth®

241-0446

Digital Tire Inflator

- 12V DC or 20V Flexpower battery *207-3667*

22" Hedge Trimmer

267-1530

Battery and charger sold separately.



Steel-Grid Lower Storage Shelf
Allows for easy storage of tools and materials

36" x 16" Welding Table
- 3/4" peg holes use common table clamps and stops *242-1500*

26" x 19" Steel Welding Tabletop
- 3/4" peg holes accommodate common table clamps and stops *240-1676*

Clamp sold separately.

Bench Dog Kit - 5 PC
242-1501

In-Line Toggle Clamp Kit
242-1503

Hold-Down Toggle Clamp Kit
242-1502

Folding Steel Sawhorse
- 1,100 lb. support capacity *243-8686*

Adjustable Folding Steel Sawhorse
- 1,300 lb. support capacity
- Adjustable from 22-1/2"-35-1/2" *243-8688*

Non-Marring Sawhorse Foot
- Designed to fit Masterforce sawhorses *243-8680*

2-in-1 Adjustable Roller Material Support Accessory
- Adjustable degree roller heads cradle the material being supported in several ways *240-1677*

MATERIAL SUPPORT

Universal Folding Miter Saw Stand
240-1658

Includes 4 Material Supports with Adjustable Stops
Allows for additional workpiece support and setup options

Patented J-lip
Secures tool mounts to stand for added safety

Rugged Wheels
Allows for easy transport of stand

Adjustable Clamping Work Table
240-1579

3-in-1 Folding Roller Stand
240-1664

Rapid-Clamp Tool Mounts
240-1659

MATERIAL SUPPORT

Universal Folding Miter Saw Stand
240-1657



Oversized Handle with Triple Tap GFCI Outlets
Large handle is easy to grasp even with glove and offers storage options for tools

Cam-locks
Allows for quick and easy adjustments

Easy Access Leg Release
For quick and easy setup and takedown

Cordless LED Work Light
- 150 lumens
- 70,000 hours of bulb life *240-1674*

Miter Saw Stand Handle Kit with GFCI
- Large ergonomic grip to grab and move your miter saw stand
- Triple tap GFCI protects your tools *240-1673*

WOOD WORKING



Digital Speed Display
Shows spindle speed for different drilling applications

Built-in LED Work Light
Helps illuminate the work area

Flexible Work Light
Illuminates work area during setup and use

8" Variable Speed Bench Grinder
241-0818

12" Variable Speed Bench Drill Press
240-0065

18" Scroll Saw
240-3720

CORDED POWER TOOLS

1/2" Hammer Drill - 8.5-Amp
241-0730

1/2" 2-Speed Hammer Drill - 10-Amp
241-0731

Rotating Handle
Handle can be rotated 180° allowing for more comfortable operation

Toolless Wheel Change

7"/9" Trigger Switch Angle Grinder - 15-Amp
241-0788

4-1/2" Slide Switch Angle Grinder - 8-Amp
241-0780

5" Paddle Switch Angle Grinder - 10-Amp
241-0784

4-1/2"/5"/6" Angle Grinder - 13-Amp
241-0783

CORDED POWER TOOLS

Circular Saw
With Electric Brake

Ergonomic Handle
For comfort & control

Magnesium Construction
Lightweight & maximum durability

Spindle Lock
For easy blade changes

Live Wire Indicator
Notifies use of power tool

Electric Brake
Quickly stops blade rotation

0°-56° Bevel Adjustment
Positive stop at 45°

Dual LED Work Light
Positioned to illuminate the work area

7-1/4" Circular Saw with Electric Brake - 15-Amp
241-0747

Reciprocating Saw

Pivoting Shoe
Provides maximum control as it maintains contact with the cutting surface

Toolless Shoe Adjustment
For quick & easy shoe adjustment

Orbital Action
2-position switch allows for easy change from linear cutting action to orbital cutting action for fast, aggressive cutting

Rafter Hook
For easy storage on the job

Orbital-Action Reciprocating Saw - 12-Amp
241-0752

Oscillating Multi-Tool

Storage Bag

(1) 3-1/8" HSS Saw Blade

Oscillating Multi-Tool with 54 PC Accessory Kit - 3.5-Amp
241-0856

(1) 1-3/8" Universal End-Cut Blade

(1) 1-1/8"End-Cut Blade

(1) 1-3/4" Precision Cut Blade

(48) Sandpaper
(12) 40 grit, (12) 80 grit, (12) 120 grit, (12) 200 grit

(1) Sanding Pad

(1) Rigid Scraper Blade

Rotary Tool

Rotary Tool with 110 PC Accessory Kit - 1.6-Amp

- 3 jaw chuck eliminates the need for collets
- Variable speed dial (5,000-35,000 RPM) *241-0948*

Storage Bag

(1) 1/2" Drum Sander With 1/8" Shank

(1) Dressing Stone

(1) Wrench

(1) 1/8" Mandrel For Felt Wheel

(3) Drill Bits

40-1/2" Flex Shaft

Mandrel For Cut-Off Wheel/Sanding Sheet (1) 3/32"/(1) 1/8"

Collets (1) 1/16"/(1) 3/32/ (1) 1/8"

(18) 1/2" Sanding Bands

(31) 3/4" Sanding Sheets

(23) 15/16" Cut-Off Wheels

(1) 5/64" Taper/(1) 5/64" Ball/(1) Cylinder Bit

(4) Brushes

Felt Polishing Wheels (3) 1/2"/(3) 1"

(10) Various Grinding Stones

(3) 3/8 Felt Polishing Tips

CORDED POWER TOOLS

5" Random Orbit Sander - 3-Amp

241-0807

3" x 21" Belt Sander - 8.5-Amp

241-0811

5"/6" Random Orbit Sander - 3.2-Amp

241-0802

1/4 Sheet Sander - 2.4-Amp

241-0798

1/3 Sheet Finishing Sander - 2.2-Amp

241-0792

Backlit LCD Screen

Digital controls allow for easy router setup & speed control

DIGITAL

2-1/2 HP Digital Variable Speed Plunge & Fixed Base Router Combo Kit

- Includes digital router motor, fixed base, plunge base, collet wrench, 1/4" collet, 1/2" collet, router edge guide and storage case
- Digital controls with a backlit LCD screen allow for easy router setup and speed control from 10,000 to 25,000 RPM
- Soft-start reduces startup torque for smooth and controlled starts *241-0835*

Also available in fixed base only 241-0834

TRACK SAWS

6-1/2" PLUNGE CUT TRACK SAW KIT

Plunge Release
Soft Rubber Grip
for comfort & control
Dust Management System
1-1/4" hose adapter allows for easy connection to vacuum hose for cleaner work environment
Plunge Cut Action
Simple depth adjustment allows you to expose only the part of the blade necessary for the cut. The plunge action allows cut placement anywhere on the cut line for straight cuts or cut-outs into material
Bevel Adjustment
Set your angle from 0° to 45° for all beveled cuts
Bevel Adjustment from 0° to 45°
MASTERFORCE
GENERAL PURPOSE
6 ½ IN.
165 mm
24
TEETH
FINISH
40
TEETH

6-1/2" Track Saw Kit with 110" Guide Track

- 0-45° bevel capacity *241-0706*

4-1/2" PLUNGE CUT TRACK SAW KIT

Ergonomic Design With Soft Grip Handles
For comfort & control

Dust Management System
1-1/4" hose adapter allows for easy connection to vacuum hose for cleaner work environment

Plunge Cut Action
Simple depth adjustment allows you to expose only the part of the blade necessary for the cut. The plunge action allows cut placement anywhere on the cut line for straight cuts or cut-outs into material

Powerful 8-Amp Motor
Operates at 12,000 RPM for optimum performance & smooth cutting

Compact Lightweight Design
Allows for excellent portability & is easier to handle than larger saws

Spindle Locking Lever
For easy blade changes

4-1/2" Track Saw Kit with 53-1/2" Guide Track
241-0748





10x LONGER LIFE *

4 PC Double-Ended Power Drive Bit Set with Magnetic Screw Holder

- Includes three double-ended power drive bits and one magnetic collar *236-9198*

11 PC 2-3/8" Impact Double-Ended Power Drive Bit Set

- PH1; PH2; PH3; SQ1; SQ2; SQ3; T25; T20 and magnetic collar *252-7208*

6 PC 2-3/8" Double-Ended Power Drive Bit Set

- (2)PH2, (2)SQ2, (2)T25 and magnetic collar *252-7207*

Impact Double-Ended Power Drive Bit

- High quality S2 steel construction

DOUBLE-ENDED POWER DRIVE BIT											
#1 Phillips	2-3/8"	3 PC	*252-7209*	#2 Square	2-3/8"	5 PC	*252-0936*	T20 Torx®	2-3/8"	3 PC	*252-7214*
#2 Phillips	2-3/8"	3 PC	*252-7210*	#2 Square	2-3/8"	3 PC	*252-7219*	T20 Torx®	2-3/8"	5 PC	*252-0939*
#2 Phillips	2-3/8"	5 PC	*252-0935*	#2 Square	4"	2 PC	*252-7222*	T25 Torx®	2-3/8"	3 PC	*252-7215*
#2 Phillips	4"	2 PC	*252-7220*	#2 Square	6"	3 PC	*252-7223*	T25 Torx®	2-3/8"	5 PC	*252-0937*
#2 Phillips	6"	2 PC	*252-7221*	T10 Torx®	2-3/8"	3 PC	*252-7212*	T25 Torx®	4"	2 PC	*252-7224*
#3 Phillips	2-3/8"	3 PC	*252-7211*	T15 Torx®	2-3/8"		*252-7213*	T25 Torx®	6"	2 PC	*252-7225*
#1 Square	2-3/8"	3 PC	*252-7218*					T30 Torx®	2-3/8"	3 PC	*252-7216*
								T40 Torx®	2-3/8"	3 PC	*252-7217*

1" INSERT DRIVE BIT	
#2 Phillips	5 PC *252-0404*
#2 Phillips Drywall	5 PC *252-0406*
#3 Phillips	5 PC *252-0405*
#2 Square	5 PC *252-0408*
T25 Torx®	5 PC *252-0410*

12 PC Quick Connect Impact Insert Drive Bit Set

- PH1, PH2, PH3, SQ1, SQ2, SQ3, T20, T25, and quick change *252-7206*

22 PC Impact Drive Insert Bit Set

- PH1, (4) PH2, (2) PH3, (2) P2R, SQ1, (4) SQ2, (2) SQ3, T15, T20, T25, T30, and T40) and magnetic screw guide *252-0501*

DRIVE BITS

18 PC Impact Power Drive Bit Set

- Includes (5) 3" (PH2, SQ2, PZ2, T20 and T25), (4) 4" (PH2, PH3, SQ2, T25) (4) 3-1/2" (PH2, SQ2, T20, T25) and (5) 5" (PH2, PH3, SQ2, T20, T25 *252-0810*

16 PC 2" Impact Power Drive Bit Set

- PH1, (4) PH2, PH3, SQ1, (4) SQ2, SQ3, T20, (2) T25, and T30 *252-0945*

7 PC Quick Connect Impact Drive Bit Set

- PH2, PH3, SQ1, SQ2, T20, T25 and quick connect bit holder *252-0980*

POWER DRIVE BITS

#1 Phillips	2"	2 PC	252-0486	#2 Square	3-1/2"	2 PC	252-0490	T15 Torx®	6"	2 PC	252-7243	T30 Torx®	6"	2 PC	252-7246
P2R Phillips	2"	2 PC	252-0478	#2 Square	6"		252-7241	T20 Torx®	2"	2 PC	252-0814	T40 Torx®	2"	2 PC	252-0817
#2 Phillips	2"	2 PC	252-0487	#3 Square	2"	2 PC	252-0418	T20 Torx®	2"	5 PC	252-0836	T40 Torx®	3-1/2"	2 PC	252-0833
#2 Phillips	2"	5 PC	252-0484	#2 Phillips-Square	2"	2 PC	252-0483	T20 Torx®	3-1/2"	2 PC	252-0830	T40 Torx®	6"	2 PC	252-7247
#2 Phillips	3-1/2"	2 PC	252-0419	#2 Pozidriv®	2"	2 PC	252-0479	T20 Torx®	6"	2 PC	252-7244	T50 Torx®	2"	2 PC	252-0819
#2 Phillips	6"		252-7240	T10 Torx®	2"	2 PC	252-0812	T25 Torx®	2"	5 PC	252-0837	T50 Torx®	3-1/2"	2 PC	252-0834
#3 Phillips	2"	2 PC	252-0488	T10 Torx®	6"	2 PC	252-7242	T25 Torx®	3-1/2"	2 PC	252-0831	T50 Torx®	6"	2 PC	252-7248
#1 Square	2"	2PC	252-0416	T15 Torx®	2"	2 PC	252-0813	T25 Torx®	6"	2 PC	252-7245	TTAP Torx®	2"	5 PC	252-7249
#2 Square	2"	2 PC	252-0417	T15 Torx®	2"	5 PC	252-0835	T30 Torx®	2"	2 PC	252-0815	TTAP20 Torx®	2"	2 PC	252-7250
#2 Square	2"	5 PC	252-0485	T15 Torx®	3"	2 PC	230-8123	T30 Torx®	2"	5 PC	252-0839	TTAP30 Torx®	2"	2 PC	252-7251
				T15 Torx®	4"		252-7253	T30 Torx®	3-1/2"	2 PC	252-0832	TTAP40 Torx®	2"	2 PC	252-7252

35 PC Impact Drive Bit Set

- Includes (18) 1" drive bits, (12) 2" drive bits, magnetic bit holder and (4) magnetic nut drivers *252-0509*

29 PC Impact Drive Bit Set

- Includes (19) 1" drive bits, (6) 2" drive bits, magnetic bit holder and (3) magnetic nut drivers *252-0505*

IMPACT PRO PACKS

#2 Phillips	1"	25 PC	252-0800
#2 Phillips	2"	15 PC	252-0805
#2 PH-SQ	2"	15 PC	252-0809
#2 Square	1"	25 PC	252-0801
#2 Square	2"	15 PC	252-0806
T20 Torx®	1"	25 PC	252-0802
T25 Torx®	1"	25 PC	252-0803
T25 Torx®	2"	15 PC	252-0808

100 PC Master Bit Set 237-9965

- *(3) - Clutch 1, 2, 3*
- *(3) - Four-wing 6, 8, 10*
- *(3) - Spline M5, M6, M8*
- *(4) - Three-wing 1, 2, 3, 4*
- *(4) - Square 0, 1, 2, 3*
- *(9) - Slotted 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8*
- *(8) - Phillips P0, P1, P2 (5), P3*
- *(8) - Pozi 0, 1, 2 (5), 3*
- *(9) - Star T8, T10, T15, T20, T25, T27, T30, T40, T45*
- *(9) - Tamper-Proof Star TT8, TT10, TT15, TT20, TT25, TT27, TT30, TT35, TT40*
- *(4) - Spanner 4, 6, 8, 10*
- *(4) - Three-wing 1, 2, 3, 4*
- *(5) - Drive Tools and Accessories*
  Wing nut driver
  Magnetic bit holder
  Socket bit adapter
  1" & 2" extension
- *(19) - Hex*
  MM *1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8mm*
  SAE *1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" 3/16", 7/32", 1/4"*
- *(12) - Tamper-Proof Hex*
  MM *2, 2.5, 3, 4, 5, 6mm*
  SAE *5/32", 9/64", 1/8", 7/64", 3/32", 5/64"*

DRIVE BITS

3 PC 2-1/2" Magnetic Impact Nut Drivers

- Includes 1/4", 5/16" and 3/8"
- Extra-strength magnet securely holds fasteners
- 1/4" quick change shank *252-0491*

2-1/2" Magnetic Impact Nut Driver					
1/4"	2 PC	*252-0492*	7/16"	2 PC	*252-0495*
5/16"	2 PC	*252-0493*	1/2"	2 PC	*252-0500*
3/8"	2 PC	*252-0494*	5/8"		*252-0489*

2-1/2" Magnetic Impact Nut Driver Set		
3 PC	8mm, 10mm and 12mm	*252-7233*
6 PC	1/4", 5/16", 3/8", 7/16", 1/2" and 5/8"	*252-7232*

2 PC 1-1/4" Magnetic Impact Insert Nut Drivers

- Extra-strength magnet securely holds insert bits
- 1/4" drive *252-7229*

1-1/4" Magnetic Impact Nut Driver Set		
3 PC	1/4", 5/16" and 3/8"	*252-7230*
5 PC	1/4", 5/16", 3/8", 7/16" and 1/2"	*252-7231*

Socket Adapters

3 PC Hex Shank Socket Adapter Set

- Includes 1/4", 3/8" and 1/2" *237-8475*

Impact Socket Adapter	
1/4"	*252-0921*
3/8"	*252-0922*
1/2"	*252-0923*

3 PC 1-1/4" Impact Socket Adapter Set

- Includes 1/4", 3/8" and 1/2" *252-0920*

Drive Bit Holders

1/4" x 3/8" Impact Socket Adapter

- Securely holds insert bits *252-0716*

Impact Wrench Adapter

- 2-1/4" drive length
- **1/4" x 1/2"** *236-0422*
- **1/4" x 3/8"** *236-0423*

Magnetic Impact Drive Bit Holder

- **2"** *252-0470*
- **3"** *252-7200*

Impact Quick Change Drive Bit Holder

- **2-5/8"** *252-7202*
- **6"** *252-7203*
- **12"** *252-7204*

18" Impact Quick Change Drive Bit Extension Holder

252-7205

Drive Impact Socket Set

4 PC 3/8" Drive SAE Deep Impact Socket Set

- Includes 1/2", 9/16" and 5/8" with 3/8" adapter *252-0924*

10 PC 3/8" Drive SAE Deep Impact Socket Set

- 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" and 13/16" with 3/8 adapter *252-0928*

10 PC 1/2" Drive SAE Deep Impact Socket Set

- 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8" with 1/2" adapter *252-0929*

TITANIUM

5X LONGER LIFE *

* Compared to Standard high speed steel drill bits

TORSION ZONE
IMPACT RUGGED

1/4"

AXIS POINT™
Starts 10x Faster
† For bits 1/8" and up only

135° SPLIT POINT†

SPEEDHELIX

Titanium Impact Twist Drill Bit

- Hex shanks allow the tool to grip the bit tightly for extra torque

Titanium Impact Drill Bit

1/16"	252-5632	5/32"	252-5638	1/4"	252-5644	11/32"	252-5650	7/16"	252-5656
5/64"	252-5633	11/64"	252-5639	17/64"	252-5645	23/64"	252-5651	29/64"	252-5657
3/32"	252-5634	3/16"	252-5640	9/32"	252-5646	3/8"	252-5652	15/32"	252-5658
7/64"	252-5635	13/64"	252-5641	19/64"	252-5647	25/64"	252-5653	31/64"	252-5659
1/8"	252-5636	7/32"	252-5642	5/16"	252-5648	13/32"	252-5654	1/2"	252-5660
9/64"	252-5637	15/64"	252-5643	21/64"	252-5649	27/64"	252-5655		

10 PC Titanium Impact Drill Bit Set

- 11/64", 5/32", 9/64" (2)1/8", 3/8", 5/16", 1/4", 7/32" and 3/16" drill bits *252-5685*

5 PC Titanium Impact Drill Bit Set

- Includes 3/32", 7/64", 1/8", 9/64" and 5/32" *252-5684*

DRILL BITS

TITANIUM

5X LONGER LIFE *

* Compared to standard high-speed steel drill bits

AXIS POINT™
Starts 10x Faster
† For bits 1/8" and up only

- Speed helix is the most aggressive drill bit available with a compact flute for faster drilling and fast removal of material and chips
- Tri-flat shank has 3 flats on the shank to prevent spinning under high torque loads and stays securely gripped in the drill chuck

Titanium Drill Bit

1/16" 2 PC	252-5597	1/4"	252-5609	†3/8" Reduced Shank	
5/64" 2 PC	252-5598	17/64"	252-5610	†7/16"	252-5621
3/32" 2 PC	252-5599	9/32"	252-5611	†15/32"	252-5622
7/64" 2 PC	252-5600	19/64"	252-5612	†1/2"	252-5623
1/8" 2 PC	252-5601	5/16"	252-5613	25/64"	252-5618
9/64" 2 PC	252-5602	21/64"	252-5614	13/32"	252-5619
5/32"	252-5603	11/32"	252-5615	27/64"	252-5620
11/64"	252-5604	23/64"	252-5616		
3/16"	252-5605	3/8"	252-5617		
13/64"	252-5606				
7/32"	252-5607				
15/64"	252-5608				

15 PC Titanium Drill Bit Set

- Includes 118° tip, round shank:1/16", 5/64", 3/32", 7/64"; 135° split point tip, round shank: 1/8", 9/64", 5/32", 11/64"; 135° split point tip, tri-flat shank: 3/16", 13/64", 7/32", 15/64", 1/4", 5/16", 3/8" 252-5629



21 PC Titanium Drill Bit Set

- 118° Round Shank: 3/32", 7/64", (2) 1/16", (2) 5/64", 135° round shank: 9/64", 5/32", 11/64", (2) 1/8", 135° tri-flat shank:13/64", 7/32", 15/64", 5/16", 3/8", 1/2", (2) 3/16", (2) 1/4" *252-5630*

29 PC Titanium Drill Bit Set

- 11/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 7/64", 7/16", 29/64", 15/32", 31/64" and 1/2" *252-5631*

S&D

- 1/2" tri-flat shank
- Industrial-grade M2 high-speed steel

Titanium S&D Twist Drill Bit

9/16" *252-5624* 3/4" *252-5626* 1" *252-5628*
5/8" *252-5625* 7/8" *252-5627*

COBALT

10X LONGER LIFE *

* Compared to standard high-speed steel drill bits

AXIS POINT™
Starts 10x Faster
† For bits 1/8" and up only

- Cold firing helps eliminate stress in the metal, making it more ductile and last longer
- Made of industrial-grade cobalt M35 high-speed steel that lasts 10X longer and is extremely strong
- Cryogenically hardened for drilling into the toughest materials

Cobalt Drill Bit						
1/16"	252-5661	5/32"	252-5674	5/16"	252-5672	†3/8" Reduced Shank
5/64"	252-5662	11/64"	252-5668	3/8"	252-5673	
3/32"	252-5663	3/16"	252-5669	†7/16"	252-5674	
7/64"	252-5664	7/32"	252-5670	†1/2"	252-5675	
1/8"	252-5665	1/4"	252-5671			
9/64"	252-5666					

15 PC Cobalt Drill Bit Set

- Includes 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 5/16" and 3/8" 252-5681

21 PC Cobalt Drill Bit Set

- Includes 1/2", 3/8", 5/16", 3/32", 5/32", 7/32", 7/64", 9/64", 11/64", 13/64", 15/64", (2) 1/4", (2) 1/8", (2) 1/16", (2) 3/16" and (2) 5/64" 252-5682

29 PC Cobalt Drill Bit Set

- Includes 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64" and 1/2" 252-5683

S&D

- 1/2" tri-flat shank
- Industrial-grade M35 high-speed steel

Cobalt S&D Bits					
9/16"	252-5676	3/4"	252-5678	1"	252-5680
5/8"	252-5677	7/8"	252-5679		

DRILL BITS

Carbide-Tipped SDS-Plus Masonry Hammer Drill Bit USA

- For use in all SDS-Plus style power tools

SDS-Plus Masonry Hammer Drill Bit	
5/32"	252-0770
3/16"	252-0771
1/4"	252-0772
5/16"	252-0773
3/8"	252-0774
1/2"	252-0775
5/8"	252-0776
3/4"	252-0777

6 PC 5/32" SDS-Plus Masonry Hammer Drill Bit Set

- 4" drilling depth
- Tungsten carbide-tipped
- 5/32", 3/16", 1/4", 5/16", 3/8" and 1/2"
  252-0778

SDS-Plus Masonry Hammer Drill Bit Set		
3/16"	5 PC	252-0780
1/4"	5 PC	252-0781
5/32"	5 PC	252-0779

FULL BOAR™

10x FASTER BORE*

* Compared to standard spade bits

Threaded Tip
Pulls the bit through wood to deliver up to 10x faster drilling than conventional spade bits

Impact Rugged
Hex shank improves bit grip and allows use in impact drivers

Dual Cutting Spurs
Provide clean holes and reduced breakout

6" Spade Bit					
3/8"	252-6902	11/16"	252-6907	1"	252-6912
7/16"	252-6903	3/4"	252-6908	1-1/8"	252-6913
1/2"	252-6904	13/16"	252-6909	1-1/4"	252-6914
9/16"	252-6905	7/8"	252-6910	1-3/8"	252-6915
5/8"	252-6906	15/16"	252-6911	1-1/2"	252-6916

6 PC 6" Spade Bit Set

- Includes 3/8", 1/2", 5/8", 3/4", 7/8" and 1" threaded spade bits
  252-6917

16" Spade Bit					
3/8"	252-6930	5/8"	252-6932	7/8"	252-6934
1/2"	252-6931	3/4"	252-6933	1"	252-6935

HOLE SAW & ACCESSORIES

3/8" Hole Saw #1 Arbor

- For use with 9/16" to 1-1/8" #1 arbor hole saws *252-6501*

3/8" Hole Saw #2 Arbor

- For use with 1-1/4" to 4" #2 arbor hole saws *252-6502*

7/16" Hole Saw #3 Arbor

- For use with 1-1/4" to 6" #3 arbor hole saws *252-6505*

12" Arbor Extension *252-6539*

Bi-Metal Hole Saw

- Bi-metal hole saws cut faster and smoother with reduced vibration due to the variable pitched teeth

Bi-Metal Hole Saw					
9/16"	*252-6507*	2"	*252-6517*	3-1/2"	*252-6527*
3/4"	*252-6508*	2-1/8"	*252-6518*	3-5/8"	*252-6528*
7/8"	*252-6509*	2-1/4"	*252-6519*	3-3/4"	*252-6529*
1"	*252-6510*	2-3/8"	*252-6520*	4"	*252-6530*
1-1/8"	*252-6511*	2-1/2"	*252-6521*	4-1/8"	*252-6531*
1-1/4"	*252-6512*	2-5/8"	*252-6522*	4-1/4"	*252-6532*
1-3/8"	*252-6513*	2-3/4"	*252-6523*	4-1/2"	*252-6533*
1-1/2"	*252-6514*	3"	*252-6524*	4-5/8"	*252-6534*
1-5/8"	*252-6561*	3-1/8"	*252-6525*	5"	*252-6535*
1-3/4"	*252-6515*	3-1/4"	*252-6526*	6"	*252-6536*
1-7/8"	*252-6516*				

Bi-Metal Hole Saw with 3/8" Arbor

- Includes 3/8" mandrel and 1/4" pilot drill bit
- Bi-metal hole saws cut faster and smoother with reduced vibration due to the variable pitched teeth

Bi-Metal Hole Saw with 3/8" Arbor			
3/4"	*252-6540*	2-1/4"	*252-6548*
7/8"	*252-6541*	2-1/2"	*252-6549*
1"	*252-6542*	2-3/4"	*252-6550*
1-1/8"	*252-6543*	3"	*252-6551*
1-1/4"	*252-6544*	3-1/4"	*252-6552*
1-1/2"	*252-6545*	3-1/2"	*252-6553*
1-3/4"	*252-6562*	4"	*252-6554*
2"	*252-6546*	4-1/8"	*252-6555*
2-1/8"	*252-6547*	4-1/2"	*252-6556*

Recessed Lighting

4" Recessed Light Hole Saw with 3/8" Arbor

- Includes 4-3/8" carbide grit hole saw and #2 arbor with 1/4" pilot drill bit *252-6559*
- **6"** *252-6560*
- **6-7/8"** *252-6020*

3-STEP EASY LOCKSET INSTALLATION

1. Position

2. Bore

3. Assemble

Auto-Centering: Centers door latch hole automatically

Door Lock Installation Kit

- Includes 1" bi-metal hole saw, 2-1/8" bi-metal hole saw, 3/8" #1 arbor with 1/4" pilot drill bit, 5/8" to 1/2" adapter and installation instruction guide *252-6558*

SAW BLADES

General Purpose Reciprocating Saw Blade

MADE IN USA

- For heavy-gauge metals 1/8" thick and thicker

4" 10TPI HCS
GENERAL PURPOSE CUTS IN WOOD & LAMINATE
MASTER FORCE
4" 10TPI HCS
GENERAL PURPOSE CUTS IN WOOD & LAMINATE
MASTER FORCE

T-Shank Jigsaw Blade Set

- Use for rough cuts in wood and laminate up to 1"

RECIPROCATING SAW BLADE

Wood	6"	6TPI	.035"	252-1626	Metal	8"	18TPI	.035"	252-8381
Wood	6" 6 PK	6TPI	.035"	252-8350	Metal	8" 6 PK	18TPI	.035"	252-8393
Wood	6"	6TPI	.05"	252-1627	Demolition	8"	8/12TPI	.05"	252-8383
Wood	6" 6 PK	6TPI	.05"	252-8356	Demolition	8" 6 PK	8/12TPI	.05"	252-8395
Wood with Nails	6"	10TPI	.035"	252-8375	Wood/Metal	8"	10/14TPI	.035"	252-1629
Demolition	6"	10TPI	.062"	252-8385	Wood/Metal	8" 6 PK	10/14TPI	.035"	252-8358
Metal	6"	14TPI	.035"	252-1623	Demolition	9"	10TPI	.062"	252-8387
Metal	6" 6 PK	14TPI	.035"	252-8352	Wood with Nails	9"	6TPI	.05"	252-1630
Metal	6"	18TPI	.035"	252-8377	Wood with Nails	9" 6 PK	6TPI	.05"	252-8360
Metal	6" 6 PK	18TPI	.035"	252-8354	Wood with Nails	12"	6TPI	.05"	252-1631
Metal	8"	14TPI	.035"	252-8379	Metal/Wood with Nails	12" 6 PK	6TPI	.05"	252-8362
Metal	8" 6 PK	14TPI	.035"	252-8391	Demolition	12"	10TPI	.062"	252-8389

T-SHANK JIGSAW BLADE SET

2 PK	4"	6TPI	.039"	252-8253	2 PK	4"	10TPI	.039"	252-8256
2 PK	4"	10TPI	.039"	252-8255	2 PK	4"	8TPI	.039"	252-8257

20 PC Reciprocating Saw Blade Set

- Includes blades (6) 6" x .035, (8) 6" x .035, (2) 8" x .035, (2) 8" x .05, (2) 9" x .05, and storage tube *242-8445*

8 PC Reciprocating Saw Blade Set

- Includes blades (2) 6" x .035, (2) 8" x .035, (2) 6" x .050, (2) 9" x .05 and storage tube *242-8446*

8 PC T-Shank Jigsaw Blade Set

- Includes (2) 4" blades 6TPI for wood, (2) 4" blades 14TPI for wood/laminate, (1) 3" blade 10 TPI for wood scroll cut, (1) 3" blade 12TPI for thick metal, (1) 3" blade 17TPI for medium metal and (1) 3" blade 21TPI for thick metal *252-8254*

OSCILLATING ACCESSORIES

FITS MOST OSCILLATING TOOL BRANDS

Performax®	Tool Shop®	*Rockwell®	†Bosch®	Craftsman®	Fein®	Black & Decker®	Porter Cable®	Ridgid®	Skil®	DeWalt®
Chicago Electric®	Genesis®	†Dremel®	Master Mechanic®	Channellock®	Ryobi®	Milwaukee®	Makita®	Bluehawk®		

*Included hex washer upgrades the original Rockwell®Sonicrafter® to work

†Use included spacer for Bosch® or Dremel® Tool-Free Multi-Tool Models

4-IN-1
Drywall Blade
236-0840

Dagger Blade
Allows for detailed cuts, especially tight circular cuts

Depth Gauges
Increments reflect drywall thickness to monitor depth of cuts

Shaver Notches
Remove excess drywall along straight cuts for more precise edges

Piercing Tips
Initiate the cut for a clean start, along with push/pull cuts

GRINDING

3-1/8" Carbide Oscillating Multi-Tool Grout Rasp
- For coarse grinding and rasping wood, hardened adhesives, thinset, grout and masonry *236-0882*

BI-METAL

CUTTING

4" Semicircle Oscillating Multi-Tool Blade
- Use on wood or metal *236-0881*

End-Cut	1-1/4"	Bi-Metal	2 PC	*236-0884*
End-Cut	1-1/4"	Bi-Metal	2 PC	*236-0885*
End-Cut	1-1/4"		2 PC	*236-0883*
End-Cut	2-1/2"		2 PC	*236-0896*
End-Cut Set	1-1/4"		6 PC	*236-0848*

CARBIDE UP TO 10X MORE CUTS*

*Up to 10% more cuts than standard Masterforce bi-metal blades

End-Cut	1-3/8"	Carbide	1 PC	*236-0842*
End-Cut	1-3/8"	Carbide	5 PC	*236-0843*
End-Cut Set	1-3/4", 1-1/4", 1-3/8"	Carbide	3 PC	*236-0847*

TITANIUM UP TO 30% LONGER LIFE*

*Up to 30% longer life with TiN coated Bim blades vs non-TiN BiM blades in nail-embedded wood

End-Cut Set	1-3/4", 1-1/4", 2-1/2"	Titanium	3 PC	*236-0846*
End-Cut	1-1/8"	Titanium	1 PC	*236-0886*
End-Cut	1-1/8"	Titanium	5 PC	*236-0887*
End-Cut	1-1/4"	Titanium	1 PC	*236-0888*
End-Cut	1-1/4"	Titanium	5 PC	*236-0889*
End-Cut	1-3/4"	Titanium	1 PC	*236-0894*
End-Cut	1-3/4"	Titanium	5 PC	*236-0895*
End-Cut	2-1/2"	Titanium	1 PC	*236-0898*
End-Cut	2-1/2"	Titanium	5 PC	*236-0899*

TRIPLE GROUND TOOTH

Precision End-Cut	1-1/4"	2 PC	*236-0890*
Precision End-Cut	1-1/4"	10 PC	*236-0891*
Precision End-Cut	1-3/4"	1 PC	*236-0892*
Precision End-Cut	1-3/4"	5 PC	*236-0893*
Precision End-Cut	2-1/2"	2 PC	*236-0897*
Precision End-Cut Set	1-3/4", 1-1/4", 2-1/2"	6 PC	*236-0849*

CIRCULAR SAW BLADES

Blade Type	Diameter	Teeth	Arbor	Sku
General Purpose	4-1/2"	24	3/8"	*236-0747*
Fine Finish	4-1/2"	36	3/8"	*236-0749*
Laminate/Melamine	4-1/2"	40	3/8"	*252-0750*
General Purpose	6-1/2"	24	5/8"	*252-6664*
Fine Finish	6-1/2"	40	5/8"	*252-6667*
Laminate/Melamine	6-1/2"	48	5/8"	*252-6668*
Framing/Demolition	7-1/4"	24	5/8"	*252-6666*
General Purpose	7-1/4"	24	5/8"	*252-6653*
Fine Finish	7-1/4"	40	5/8"	*252-6656*
Composite Decking	7-1/4"	44	5/8"	*252-6662*
Laminate	7-1/4"	48	5/8"	*252-6661*
Laminate/Melamine	7-1/4"	60	5/8"	*252-6665*



Blade Type	Diameter	Teeth	Arbor	Sku
General Purpose/Framing	10"	40	5/8"	*252-6654*
Combination	10"	50	5/8"	*252-6670*
Composite Decking	10"	60	5/8"	*252-6663*
Fine Finish	10"	60	5/8"	*252-6655*
Ultra Fine Finish	10"	80	5/8"	*252-6657*
Laminate/Melamine	10"	80	5/8"	*252-6659*
Non-Ferrous Metal	10"	80	5/8"	*252-6660*
Combination	12"	60	1"	*252-6652*
Fine Finish	12"	80	1"	*252-6658*
Ultra Fine Finish	12"	100	1"	*252-6675*

DIAMOND BLADES



Continuous Rim Diamond Blade

- Use for cutting porcelain, ceramic and slate



Mesh Rim Diamond Blade

- Use for fast high-quality cuts of hard materials like granite, marble, and porcelain

709-3972
MASTER FORCE™
MESH RIM
DIAMOND BLADE
FOR CUTTING GRANITE, MARBLE, HARD NATURAL STONE, PORCELAIN AND CERAMIC
ROTATION
MAX RPM 15,000
WARNING: Do not operate tool without proper saw blade guard in place. Read and understand your machine owner's manual before using this blade.

REINFORCED HUB

To prevent flexing, wobbling and vibration during cutting

PRODUCT	DIAMETER	WET/DRY	REINFORCED HUB	MATERIAL	ARBOR	SKU
MESH RIM	4"	WET/DRY	√	TILE	5/8", 7/8"	*709-3972*
MESH RIM	4-1/2"	WET/DRY	√	TILE	5/8", 7/8"	*709-3976*
CONTINUOUS RIM	7"	WET	√	TILE	5/8", 7/8"	*709-3970*
CONTINUOUS RIM	8"	WET	√	TILE	5/8"	*709-3978*
CONTINUOUS RIM	10"	WET/DRY	√	TILE	5/8", 7/8"	*709-3974*

DIAMOND CUP WHEELS



4" Segmented Double Row Diamond Cup Wheel

- Use for grinding concrete and other masonry materials *252-4113*

TURBO DIAMOND CUP WHEEL

HIGH GRADE DIAMOND GRIT FOR EXTENDED LIFE AND SUPERIOR PERFORMANCE

ANTI-VIBRATION DESIGN

PRECISION BALANCED WHEEL FOR LESS VIBRATION AND BETTER GRIND

DIAMETER	ARBOR	SKU
4-1/2"	5/8"	*252-4178*
5"	5/8"	*252-4184*
7"	5/8"	*252-4171*

DIAMOND BLADES

RECOMMENDED APPLICATIONS	
CERAMIC/PORCELAIN	★★★★★
GRANITE/STONE	★★★★
GLASS	★★★
CONCRETE	★

DIAMETER	LIFE*	SKU
4"	350x LONGER	*252-4180*
4-1/2"	350x LONGER	*252-4188*
7"	350x LONGER	*252-4177*

RECOMMENDED APPLICATIONS	
CONCRETE	★★★★★
BLOCK	★★★★
BRICK	★★★
TILE/STONE	★★

DIAMETER	LIFE*	SKU
4"	350x LONGER	*252-4179*
7"	350x LONGER	*252-4173*

RECOMMENDED APPLICATIONS	
CONCRETE	★★★★★
BLOCK	★★★★★
BRICK	★★★★
STONE	★★★
ASPHALT	★★

Not recommended for wood or metal

DIAMETER	LIFE*	SKU
14"	350x LONGER	*252-4192*

RECOMMENDED APPLICATIONS	
BLOCK	★★★★★
CONCRETE	★★★★
BRICK	★★★★
TILE/STONE	★★★

DIAMETER	LIFE*	SKU
4"	350x LONGER	*252-4187*
4-1/2"	350x LONGER	*252-4175*
7"	350x LONGER	*252-4190*

RECOMMENDED APPLICATIONS	
CONCRETE	★★★★★
BLOCK	★★★★★
BRICK	★★★★★
TILE/STONE	★★

Not recommended for wood or metal

DIAMETER	LIFE*	SKU
4"	450x LONGER	*252-4172*
4-1/2"	450x LONGER	*252-4182*
5"	450x LONGER	*252-4193*
7"	450x LONGER	*252-4176*

RECOMMENDED APPLICATIONS	
REINFORCED CONCRETE	★★★★★
BLOCK	★★★★★
BRICK	★★★★★
STONE	★★★★
ASPHALT	★★★

Not recommended for wood or metal

DIAMETER	LIFE*	SKU
14"	350x LONGER	*252-4174*

*VS Standard abrasive wheels when cutting masonry materials



DIAMETER	WET/DRY	ARBOR	SKU
4-1/2"	DRY	5/8"	*252-4183*
5"	DRY	5/8", 7/8"	*252-4191*
7"	DRY	5/8", 7/8"	*252-4189*

FULL BOAR™
MULTI-CUT DIAMOND WHEEL

CUTS MOST MATERIALS

UP TO 100x LONGER LIFE

PRODUCT	DIAMETER	ARBOR	SKU
MULTI-CUT	4-1/2"	7/8"	*252-4201*
MULTI-CUT	5"	7/8"	*252-4202*
MULTI-CUT	7"	5/8", 7/8"	*252-4203*

FULL BOAR™
MULTI-GRIND DIAMOND WHEEL

UP TO 100x LONGER LIFE

PRODUCT	DIAMETER	ARBOR	SKU
MULTI-GRIND	4-1/2"	7/8" or 5/8"	*252-4181*

ABRASIVES

FLAP DISCS			
4-1/2"	7/8"	36	*236-0624*
4-1/2"	7/8"	60	*236-0625*
4-1/2"	7/8"	80	*236-0626*
4-1/2"	7/8"	120	*236-0627*

Angle Grinder Wrench & Flange Kit
- Fits most small angle grinders with 5/8" -11 spindle *236-0785*

252-4092
MASTERFORCE
METAL CUTTING WHEEL
4 1/2"
Diameter
STEEL
INOX
Thickness .040"
Arbor 7/8"
Max RPM 13,200
Type 1
TO PREVENT SERIOUS INJURY:
1. Wear proper eye, face, body and respiratory protection. 2. Follow all warnings and instructions in your machines operating manual. 3. Never use this wheel on drills, pistol grip air/electric sanders or any other machine not specially designed and guarded for type 1 blades. 4. Never exceed maximum RPM. 5. Mount and use wheel properly per ANSI B7.1 & OSHA.6. Do not use dropped or damaged blades. 7. Do not use excess force.
© 2016 Distributed by Menard, Inc., Eau Claire, WI 54703 MADE IN CHINA

252-4094
MASTERFORCE
MASONRY GRINDING WHEEL
4 1/2"
Diameter
MASONRY
Thickness 1/4"
Arbor 7/8"
Max RPM 13,200
Type 27
TO PREVENT SERIOUS INJURY:
1. Wear proper eye, face, body and respiratory protection. 2. Follow all warnings and instructions in your machines operating manual. 3. Never use this wheel on drills, pistol grip air/electric sanders or any other machine not specially designed and guarded for type 1 blades. 4. Never exceed maximum RPM. 5. Mount and use wheel properly per ANSI B7.1 & OSHA.6. Do not use dropped or damaged blades. 7. Do not use excess force.
© 2016 Distributed by Menard, Inc., Eau Claire, WI 54703 MADE IN CHINA

SIZE	THICKNESS	ARBOR	MATERIAL	SKU
4-1/2"	1/32"	7/8"	Metal	*252-4092*

SIZE	THICKNESS	ARBOR	MATERIAL	SKU
4-1/2"	1/4"	7/8"	Metal	*252-4095*

SIZE	THICKNESS	ARBOR	MATERIAL	SKU
4-1/2"	1/4"	7/8"	Masonry	*252-4094*

SIZE	THICKNESS	ARBOR	MATERIAL	SKU
4-1/2"	1/16"	7/8	Masonry	*252-4093*



Sanding Belt

- Designed for heavy-duty sanding and grinding of wood, metal, fiberglass and painted surfaces

GRIT		SIZE		SKU
50	Coarse	3" x 18"		*236-8082*
50	Coarse	3" x 21"		*236-8085*
50	Coarse	3" x 21"	3 PC	*236-8088*
80	Medium	3" x 18"		*236-8083*
80	Medium	3" x 21"		*236-8086*
80	Medium	14" x 2-1/2"	2 PC	*236-7892*
80	Medium	3" x 21"	3 PC	*236-8089*
120	Fine	3" x 18"		*236-8084*
120	Fine	3" x 21"		*236-8087*
120	Fine	3" x 21"	3 PC	*236-8090*
Assorted	Assorted	2-1/2" x 14"	3 PC	*236-0645*

Mesh Sanding Disc

- Designed for superior finishing results for uses on wood, metal, drywall, fiberglass and painted surfaces

GRIT		BELT SIZE		SKU
80	Medium	5"	8 PC	*236-7898*
120	Fine	5"	8 PC	*236-7899*
180	Very Fine	5"	8 PC	*236-7900*
220	Extra Fine	5"	8 PC	*236-7901*

5" Hook & Loop Random Orbit

- The vented hole pattern is for dust collection which helps to extend the life of the disc

GRIT		# OF HOLES	PC SIZE	SKU
50	Coarse (8)	8	12 PC	*236-8056*
50	Coarse (8)	8	4 PC	*236-8052*
80	Medium (6)	8	4 PC	*236-8051*
80	Medium (8)	8	12 PC	*236-8055*
120	Fine (8)	8	4 PC	*236-8050*
120	Fine (8)	8	12 PC	*236-8054*
220	Extra Fine (8)	8	4 PC	*236-8049*
220	Extra Fine (8)	8	12 PC	*236-8053*



Hook & Loop Detail Sheets

• Specifically designed to allow you to sand in corners and tight spaces

GRIT		BELT SIZE	PACK SIZE	SKU
50	Coarse	5" x 3-1/2"	4 PC	*236-8139*
50	Coarse	3" x 3"	12 PC	*236-0616*
50	Coarse (6)	3-1/2" x 3-1/2"	12 PC	*236-0619*
50	Coarse	5" x 3-1/2"	12 PC	*236-7917*
80	Medium	5" x 3-1/2"	4 PC	*236-8138*
80	Medium	3" x 3"	12 PC	*236-0617*
80	Medium (6)	3-1/2" x 3-1/2"	12 PC	*236-0620*
80	Medium	5" x 3-1/2"	12 PC	*236-7916*
120	Fine	5" x 3-1/2"	4 PC	*236-8137*
120	Fine	3" x3"	12 PC	*236-0618*
120	Fine (6)	3-1/2" X 3-1/2"	12 PC	*236-0621*
120	Fine	5" x 3-1/2"	12 PC	*236-7915*
220	Extra Fine	5" x 3-1/2"	4 PC	*236-8136*
220	Extra Fine	5" x 3-1/2"	12 PC	*236-7918*
Assorted	Assorted	3-1/2" x 5-1/2"	12 PC Kit	*236-0614*
Assorted	Assorted	6" x 4"	14 PC Kit	*236-7886*

Finishing Block Kits

• Anti-clog stearate coating resists build-up

GRIT		SIZE	PACK SIZE	SKU
320, 80, 180	Medium, Extra Fine, Super Fine	5" X 3"	6 PC	*236-7913*
320, 80, 180	Medium, Super Fine, Very Fine	11" X 2-3/4"	6 PC	*236-7914*

Sandpaper Sheets

• Heavy-duty resin resists heat and tearing for longer life

GRIT		HOOK/CLAMP	SANDER SIZE	SHEET SIZE	PACK SIZE	SKU
50	Coarse	Clamp	1/4	4-1/2" x 5-1/2"	3 PC	*236-7882*
50	Coarse	Clamp	1/4	4-1/2" x 5-1/2"	12 PC	*236-8118*
80	Medium	Hook & Loop	1/3	3-5/8" x 7-3/8"	4 PC	*236-7884*
80	Medium	Clamp	1/3	3-2/3" x 9"	4 PC	*236-8135*
80	Medium	Clamp	1/4	4-1/2" x 5-1/2"	4 PC	*236-8114*
80	Medium	Clamp	1/4	4-1/2" x 5-1/2"	12 PC	*236-8117*
120	Fine	Hook & Loop	1/3	3-5/8" x 7-3/8"	4 PC	*236-7885*
120	Fine	Clamp	1/3	3-2/3" x 9"	4 PC	*236-8134*
120	Fine	Clamp	1/4	4-1/2" x 5-1/2"	4 PC	*236-8113*
120	Fine	Clamp	1/4	4-1/2" x 5-1/2"	12 PC	*236-8116*
220	Extra Fine	Clamp	1/3	3-2/3" x 9"	4 PC	*236-8133*
220	Extra Fine	Clamp	1/4	4-1/2" x 5-1/2"	4 PC	*236-8112*
220	Extra Fine	Clamp	1/4	4-1/2" x 5-1/2"	12 PC	*236-8115*
	Assorted	Hook & Loop	1/3	3-2/3" x 7-1/4"	4 PC	*236-8158*

AIR COMPRESSORS

ULTRA QUIET

UP TO 80% QUIETER

UP TO 3X MOTOR LIFE

Roll Cage Design with Grip
Helps protect vital components from accidental damage

Oil-free Dual Piston Pump System
Engineered for high performance and durability

Dual Piston Design
Allows for slower motor speed without sacrificing performance to deliver quieter operation and longer motor life

Integrated Metal Control Panel with Large Regulator Dial
Offers easy outlet pressure adjustment

U STYLE 1/4 BODY

Dual Universal-Style, Push-To-Connect Quick Couplers
Allows for quick and easy one hand connections and provides users the ability to simultaneously operate two tools at one time

8" Wheels
Rubber wheels will not go flat and allow for easier transport

Ball Valve Drain
Allows for easy tank drain

20-Gallon Air Compressor
• Oil free *207-1504*

2-Gallon Air Compressor
• Oil free *207-1503*

4-Gallon Air Compressor
• Oil free *207-1500*

AIR COMPRESSORS

225 MAX PSI

UP TO 80% MORE USABLE AIR

225 PSI max tank storage pressure provides user with up to 80% more usable air than 17-gallon 150 PSI air tank

Roll Cage Design with Grip
Helps protect vital components from accidental damage

Power Cord Storage
For convenient cord management

8" Wheels
Rubber wheels will not go flat and allow for easier transport

17-Gallon Air Compressor
- Oil free *207-1506*

Integrated Metal Control Panel with Large Digital Regulator Dial
Offers easy outlet pressure adjustment

Integrated Metal Control Panel with Large Regulator Dial
Offers easy outlet pressure adjustment

U STYLE 1/4 BODY

Dual Universal-Style, Push-To-Connect Quick Couplers
Allows for quick and easy one hand connections and provides users the ability to simultaneously operate two tools at one time

Telescoping Handle with Carrying Grip
Allows user to extend handle for easier transport and then collapse for storage

Power Cord Storage
For convenient cord management

8" Wheels
Rubber wheels will not go flat and allow for easier transport

5-Gallon Air Compressor
- Oil free *207-1502*

Carrying Handle
Features grips for easy transport

JOBSITE AIR TANK

207-1501

1/4" Industrial Style Quick Coupler
Allows for quick and easy connection with universal-style or industrial-style plug

Integrated Regulator
Offers easy view of tank pressure and allows for easy adjustment of pressure outlet

U STYLE 1/4 BODY

Brass 6-Ball Universal-Style Push-To-Start Quick Couplers
Allow for quick and easy one hand connections

Ball Valve Drain
Allows for easy tank drain

AIR COMPRESSORS

MADE IN USA
WITH U.S. & GLOBAL PARTS

30-Gallon Air Compressor
- Oil free
- 155 max PSI
- 6 CFM at 90 PSI *207-1935*

20-Gallon Air Compressor
- Oil-lubricated, cast-iron pump
- 155 max PSI
- 5.5 CFM at 90 PSI *207-2400*

30-Gallon Air Compressor
- Oil-lubricated, cast-iron pump
- 155 max PSI
- 5.5 CFM at 90 PSI *207-2403*

60-Gallon Air Compressor
- Oil-lubricated, cast-iron pump
- 155 max PSI
- 11.5 CFM at 90 PSI *207-2404*

60-Gallon 2-Stage Air Compressor
- Oil-lubricated, cast-iron pump
- 175 max PSI
- 15.3 CFM at 100 PSI *207-2405*

80-Gallon Air Compressor
- Oil-lubricated, cast-iron pump
- 155 max PSI
- 14 CFM at 90 PSI *207-2406*

80-Gallon 2-Stage Air Compressor
- Oil-lubricated, cast-iron pump
- 175 max PSI
- 17 CFM at 175 PSI *207-1940*

AIR COMPRESSOR ACCESSORIES

Hi-Flow Blow Gun
207-4731



1/4" NPT Engine Cleaning Gun
- Includes 4' suction hose for solution injection *207-4710*

1/4" NPT 3-Way Round Manifold
207-4689

1/4" NPT 3-Way Brass Hex Manifold
207-4691

1/4" NPT 3-Way Aluminum Manifold-Bar
207-4690

3-Way Flat Manifold
207-4730

3-Way Round Manifold
207-4729

1/8" Back Mount Pressure Gauge
- 60 PSI 207-4694
- 160 PSI 207-4695

1/4" Bottom Mount Pressure Gauge
- 160 PSI 207-4696
- 300 PSI 207-4698
- 200 PSI glycerin filled 207-4699
- 300 PSI glycerin filled 207-4700
- 5000 PSI glycerin filled 207-4701

Air Tool Hook
207-4000

1/4" NPT Brass Poly End with Protector
- Bend restricter included *207-4655*

Fittings

BRASS FITTINGS

PRODUCT	SKU	PRODUCT	SKU
1/4" COUPLING	207-4653	1/4" POLY HOSE SPLICER	207-4654
3/8" COUPLING	207-4658	1/2" x 3/8" REDUCER	207-4739
1/4" COUPLING	207-4651	3/4" GARDEN HOSE BLOW OUT	207-4681
1/4" IN-LINE VALVE	207-4707		
1/4" TEE	207-4652		

AIR FILTERS, REGULATORS & LUBRICATORS

PRODUCT	INLET/OUTLET	SKU
AIR FILTER	3/8" NPT	207-4648
MINI AIR FILTER	1/4" NPT	207-4647
REGULATOR	1/4" X 3/8" NPT	207-4709
MINI AIR REGULATOR	1/4" NPT	207-4708
MINI AIR REGULATOR	1/4" NPT	207-4721
FILTER/REGULATOR	3/8" NPT	207-4649
LUBRICATOR	3/8" NPT	207-4687
MINI LUBRICATOR	1/4" NPT	207-4686
OIL/WATER SEPARATOR	1/4" NPT	207-4646

1/4" QUICK CONNECT FITTINGS

COUPLERS			
BRASS	MALE	INDUSTRIAL	207-4666
BRASS	MALE	UNIVERSAL	207-4719
BRASS	FEMALE	UNIVERSAL	207-4718
BRASS	FEMALE	INDUSTRIAL	207-4663
STEEL	FEMALE	INDUSTRIAL	207-4664
STEEL	MALE	INDUSTRIAL	207-4667
ALUMINUM	MALE	HI-FLOW	207-4724
ALUMINUM	FEMALE	HI-FLOW	207-4725

PLUGS			
BRASS	MALE	INDUSTRIAL	207-4679
BRASS	FEMALE	INDUSTRIAL	207-4677
STEEL	FEMALE	INDUSTRIAL	207-3315
STEEL	MALE	INDUSTRIAL	207-3314
STEEL	FEMALE	AUTOMOTIVE	207-4716
ALUMINUM	MALE	HI-FLOW	207-4722
ALUMINUM	FEMALE	HI-FLOW	207-4723
STEEL	MALE	AUTOMOTIVE	207-4717

1/4" AIR FLOW VALVE	BRASS	207-4644
1/2" X 1/4" REDUCER	STEEL	207-4650

KITS		SKU
1/4" COUPLER/PLUG KIT	INDUSTRIAL	207-4669
1/4" COUPLER/PLUG KIT	HI-FLOW	207-4726
3/8" x 1/4" REDUCER KIT		207-4656
3/8" AIR HOSE REPAIR KIT		207-4661
1/4" AIR HOSE REPAIR KIT		207-4660

PNEUMATIC

23 GA PIN NAIL

Micro Pin Nailer

- Drives 23-gauge pin nails 1/2" to 1-3/8" *208-5003*

18 GA NARROW CROWN STAPLE

Narrow Crown Finish Stapler

- Drives 18-gauge narrow crown staples 1/2" to 1-9/16" *208-5021*

18 GA BRAD NAIL

Brad Nailer

- Drives 18-gauge brad nails 5/8" to 2-1/8" *208-5005*

RF ROOFING NAIL

Coil Roofing Nailer

- Drives coil roofing nails 3/4" to 1-3/4" *208-5011*

MC METAL CONNECTOR NAIL PAPER TAPE

Metal Connector Nailer

- Drives 1-1/2" metal connector paper collated nails *208-5019*

MADE IN USA

Don't Forget Nails!

1,500-Count Clipped Head Framing Nails

- *Fits all 30° to 34° framing nailers*
- *High-performance coating delivers superior drives and holding power*
- *Paper tape withstands wet or humid conditions to maintain strip integrity*

PNEUMATIC

16 GA STRAIGHT NAIL

Straight Finish Nailer

- Drives 16-gauge straight finish nails 3/4" to 2-1/2" *208-5007*

15 GA DA STYLE NAIL

Angled Finish Nailer

- Drives 15-gauge "DA" style angled finish nails 1" to 2-1/2" *208-5009*

30°-34° PAPER TAPE NAIL CLIPPED HEAD

Framing Nailer

- Drives paper collated framing nails 2" to 3-1/2" *208-5017*

Mini Palm Nailer

- Drives standard bulk nails with head diameters of less than .339" up to 3-1/2" long *208-5018*

30°-34° PAPER TAPE NAIL CLIPPED HEAD

PAPER TAPE NAIL - CLIPPED HEAD

COLLATED FRAMING NAILS

2" x .113	Bright	Smooth	*208-8189*
2-3/8" x .113	Bright	Smooth	*208-8185*
2-3/8" x .113	Bright	Ring	*208-8187*
2-3/8" x .113	Hot-Dip Galvanized	Smooth	*208-8193*
3" x .120	Hot-Dip Galvanized	Ring	*208-8186*
3" x .120	Bright	Smooth	*208-8188*
3" x .131	Bright	Smooth	*208-8190*
3-1/4" x .131	Bright	Smooth	*208-8191*
3-1/4" x .131	Hot-Dip Galvanized	Smooth	*208-8192*

Masterforce® box levels are our most rigid levels, built for daily professional use.
These superior-accuracy levels use a heavy-duty aluminum frame with machined edge for strength and durability.

HEAVY-DUTY BOX LEVELS

MODEL MF8024 24" (244-3536)
MODEL MF8048 48" (244-3538)
MODEL MF8072 72" (244-3540)

- **Rigid aluminum construction**
- **Main curved vial magnifies for any-angle reading**
- **Superior-accuracy .029°, 0.5mm/m, standard and inverted**
- **Durable powder coated finish**
- **Milled edge for precise leveling**
- **Removable shock-absorbing endcaps**
- **Impact-resistant solid block vials never fade or leak**

Digital Angle Gauge
- Measures angles of almost anything, with digital readout *244-0898*

LEVELS

Masterforce® I-Beam levels are ideal for general construction, drywallers, and home projects. Magnetic models are available for steel studs and door frames.

I-BEAM LEVELS

MODEL MF7024 24" (244-3525)
MODEL MF7048 48" (244-3527)

- Durable aluminum construction
- Superior-accuracy .029°, 0.5mm/m, standard and inverted
- Easy-read surrounds reflect light
- Oversized 1/2" vials are easier to read
- Mounting holes secure level for cabinet installation
- More vials where you need them - 4 vials on 48"

MAGNETIC I-BEAM LEVELS

MODEL MF7024M 24" (244-3529)
MODEL MF7048M 48" (244-3531)
MODEL MF7078M 78" (244-3533)

- Durable aluminum construction
- Superior-accuracy .029°, 0.5mm/m, standard and inverted
- Easy-read surrounds reflect light
- Oversized 1/2" vials are easier to read
- Mounting holes secure level for cabinet installation
- Strong magnetic edge for hands-free use on ferrous metal surfaces
- More vials where you need them - 5 vials on 78"

MAGNETIC ELECTRICIAN'S LEVEL

MODEL MF6006 6" (244-3577)

- Heavy-duty solid aluminum construction
- Strong rare earth magnets
- V-groove edge for measuring against pipe
- Conduit lock to accurately bend offsets
- Four vials read 0°, 30°, 45° and 90°



MAGNETIC TORPEDO LEVELS

MODEL MF6009 9" (244-3570) **MODEL MF6012 12" (244-3572)**

- Durable aluminum frame
- 12" model includes pitch vial for reading slope
- Easy-read vials

MAGNETIC WELDER'S LEVEL

MODEL MF6010 10" (244-3575)

- V-groove edge for measuring against pipe
- Heavy-duty rigid aluminum construction
- Impact-resistant solid block vials never fade or leak
- Strong rare earth magnets for hands-free use on ferrous metal surfaces
- Curved vial magnifies for any-angle reading

MAGNETIC POCKET LEVEL

MODEL MF5000 (244-3579)

- Superior-accuracy, .029°, 0.5mm/m, standard and inverted
- Solid curved block vial
- Strong rare earth magnets
- Ideal for use in tight spaces
- Oversized plumb and level vial for easy reading
- Includes belt holster

MEASURING & LAYOUT

FORCE-BLADE™
NYLON COATING | 10x MORE DURABLE

15' REACH
1-1/4" WIDE | 12' STANDOUT



1. FORCE-BLADE nylon coating provides 10x more durability than standard blade coatings
2. Heat-treated dual end hook for maximum grip
3. Backside printing for precise measuring and marking

25' Force-Blade™ Magnetic Tape Measure *237-6563*

MAGNETIC

35' Force-Blade™ Tape Measure
237-6567

25' Force-Blade™ Tape Measure
237-6563

16' Force-Blade™ Tape Measure
237-6561

HIGH VISIBILITY BLADE

Force-Blade™ Tape Measure
- **16'** *237-6539*
- **16'/5m** *237-6543*
- **25'** *237-6540*
- **25' Magnetic** *237-6541*
- **26'/8m** *237-6545*

Open Reel Tape Measure
- Dual-sided printing on blade
- 1/2" fiberglass blade
- **100'** *237-6518*
- **300'** *237-6520*

100' Tape Measure
- 3/8"W nylon-coated blade
- Multifunction ring and end hook
  237-6514

Straight Edge
- Anodized aerospace aluminum with precision laser edging
- Features a thumb saver raised edge
- No-slip grip backing for safe cutting
- **36"** *244-3612*
- **48"** *237-6520*



UTILITY KNIVES

Quick Change Blade Mechanism
5-Position Locking Provides Multiple Cutting Angles
Gut Hook Allows No-open Cutting
25% More Cutting Surface
Magnetic Blade Storage

Pro Folding
- Quick flick one-handed opening & closing
- Removable wire formed belt clip

237-5594

Stainless-Steel Folding
- Quick change blade mechanism

237-5596

Stainless-Steel Retractable

237-5599

Auto-Loading Retractable
- Automatically loads new blade from 5-blade storage in handle *237-5592*

Retractable *237-5580*

Retractable *237-5582*

Fixed Blade *237-5590*

Retractable Carpet *237-5588*

10 PC Diamond-Like Carbon Coated
- 50X longer life

243-5444

5 PC Drywall
- 5X longer life

243-5460

5 PC Standard *243-5442*

110 PC with Dispenser

243-5439

5 PC Safety

243-5446

5 PC Serrated

243-5449

Deep Hook
- **5 PC** *243-5458*
- **50 PC** *243-5448*

Single Edge Razor Blades
- **10 PC** *243-5454*
- **100 PC** 243-5456

5 PC Snap Blades
- **9mm** *243-5470*
- **18mm** *243-5472*
- **50 PC 18mm** *243-5476*
- **25mm** *243-5474*



5 PC Mini Blades

243-5478

Carpet Blades
- **5 PC** *243-5462*
- **50 PC** *243-5452*

BOLT CUTTERS

FOLDING BOLT CUTTERS

18" *244-8306*

24" *243-8308*

36" *244-8310*

ROCKWELL/BRINELL
HARDNESS RATING CHART

MASTERFORCE™ FOLDING BOLT CUTTER	TEST ROD DIAMETER → 1/4"	5/16"	3/8"	7/16"	9/16"
36" 244-8310	CUT UP TO →			RC48 / BHN455	RC31 / BHN300
24" 244-8308	CUT UP TO →	RC48 / BHN455	RC31 / BHN300	NR	NR
18" 244-8306	RC48 / BHN455	RC31 / BHN300	NR	NR	NR

ROCKWELL (RC): The Rockwell C scale is a hardness scale based on indentation hardness of a material. The Rockwell test determines the hardness by measuring the depth of penetration of an indenter under a large load compared to the penetration made by a preload.

BRINELL (BHN): The Brinell scale characterizes the indentation hardness of materials through the scale of penetration of an indenter, loaded on a material test-piece. It is one of several definitions of hardness in materials science.

NR: *Not rated due to test rod diameter greater than jaw opening.*

PLIERS

PROFESSIONAL PLIERS

STANDARD INDUCTION HARDENED VS. MASTERFORCE® LASER HARDENED





DIAGONAL CUTTER

243-6341 - 6"
243-6343 - 8"

LINESMAN PLIERS

243-6330 - 8"
243-6332 - 9.5"

LONG NOSE

243-6326 - 6"
243-6328 - 8"

TONGUE & GROOVE

243-6310 - 10"
243-6312 - 12"
243-6316 - 8"

SLIP JOINT

243-6306 - 6"
243-6308 - 8"

PLIERS

4" Diagonal Cutter
243-6436

4" End Nipper
243-6444

4-1/2" Mini Long Nose Pliers
243-6438

4-1/2" Mini Bent Nose Pliers
243-6442

5" Mini Needle Nose Pliers
243-6446

5-3/4" Mini Long Reach Diagonal Pliers
243-6490

6-1/4" Mini Long Nose Pliers
243-6492

7" Mini Long Reach 22° Bent Nose Pliers
243-6504

11" 45° Bent Nose Pliers
243-6484

11" Long Nose Pliers With Cutter
243-6434

Slip Joint Pliers
- **6"** *243-6400*
- **8"** *243-6402*

Long Nose Pliers
- **6"** *243-6414*
- **8"** *243-6416*

Bent Long Nose Pliers
- **6"** *243-6498*
- **8"** *243-6508*

8" Long Nose Pistol Grip Pliers
243-6483

Diagonal Pliers
- **6"** *243-6422*
- **7"** *243-6424*

7-1/2" Angled Diagonal Pliers
243-6502

11" Angled Diagonal Cutters
243-6486

8" Linesman Pliers
243-6420

9-3/4" Linesman Pliers
243-6510

7" End Nipper
243-6454

8" Carpenter End Nipper
243-6455

Groove Joint Pliers
- **6"** *243-6404*
- **8"** *243-6406*
- **10"** *243-6408*
- **12"** *243-6410*
- **16"** *243-6412*

PushLock™ Groove Joint Pliers
- **8"** *243-6468*
- **10"** *243-6470*
- **12"** *243-6472*

8" Cable Cutters
243-6448

9-1/2" Cable Cutters
243-6456

10" Fencing Pliers
243-6428

PLIERS & WRENCHES

11" Double Hinge Diagonal Cutters
243-6487

13" Double Hinge Long Nose Pistol Grip Pliers
243-6485

15" Triple Hinge Long Nose Pistol Grip Pliers
243-6481

3 PC Pliers Set
243-6462

3 PC Groove Joint Pliers Set
243-6474

5 PC Pliers Set
243-6466

3 PC Pliers & Adjustable Wrench Set
243-6518

3 PC Long Reach Pliers Set
243-6522

7 PC Pliers Set
243-6479

3 PC Locking Pliers Set
243-6477

Curved Jaw Locking Pliers
- **5"** *243-6430*
- **7"** *243-6431*
- **10"** *243-6411*

7" Long Nose Locking Pliers
243-6433

Adjustable Wrenches

Adjustable Wrench
- **6"** *243-6496*
- **8"** *243-6506*
- **10"** *243-6480*
- **12"** *243-6488*

3 PC Adjustable Wrench Set
243-6506

PRY TOOLS

3 PC Pry Bar Set

- Set includes: 12", 17" and 25" bars

243-4680

Nail Puller

- 8" *243-4630*
- 10" *243-4632*
- 12" *243-4634*
- 14" *243-4636*

Scraper Bar

- 8" *243-4640*
- 10" *243-4642*
- 16" *243-4646*

10" Nail Puller *243-4625*

Mini Pry Bar

- 5" *243-4605*
- 7" *243-4607*

90° Pry Bar

243-4609

11" Double End Nail Puller *243-4627*

Pry Bar

- 15" *243-4615*
- 21" *243-4621*

17" Utility Pry Bar *243-4656*



Gooseneck Bar

- 18" *243-4650*
- 24" *243-4652*
- 36" *243-4654*



30" Multi-Function Pry Bar *243-4669*

Wrecking Bar

- 24" *243-4663*
- 36" *243-4665*
- 42" *243-4667*

45" Dual Claw Wrecking Bar

- Steel handle with an all-weather, non-slip grip

243-4675

HAMMERS

SOLID STEEL

23 oz. Framing
243-4488

16 oz. Curved Claw
243-4484

20 oz. Straight Rip
- Smooth no-mar face

243-4486

FIBERGLASS

21 oz. Framing
243-4482

16 oz. Curved Claw
243-4478

20 oz. Straight Rip
- Smooth no-mar face

243-4480

HICKORY

21 oz. Framing
243-4476

16 oz. Curved Claw
243-4472

20 oz. Straight Rip
- Smooth no-mar face

243-4474

5 oz. Tack
243-4492

16 oz. Ball Peen
243-4490

16 oz. Shingling
243-4494

Drilling
- **2 lb.** *243-9722*
- **3 lb.** *243-9724*
- **4 lb.** *243-9726*

Sledge
- **2 lb.** *243-9716*
- **3 lb.** *243-9718*
- **4 lb.** *243-9720*

Cross Pein
- **2 lb.** *243-9710*
- **3 lb.** *243-9712*
- **4 lb.** *243-9720*

HAND SAWS


Straight Angles
Provide an easy way to mark 45° and 90° angles
Rubber Overmold
Increases grip comfort
Low Friction Coating
Triple Ground Teeth
Cut up to 50% faster than traditional saws

Hand Saw
- **15"** *237-6402*
- **20"** *237-6400*

10" Utility Saw
237-6418

12" Compass Saw
237-6420

14" Back Saw
237-6406

15" Hand Saw
237-6404

12" Laminate Saw
237-6424

10" Reversible Flush Cut Saw
237-6422

6-1/2" Coping Saw
- Includes five blades 237-6408

6 PC Blade Set *237-6410*

Miter Box with Saw
- 14" back saw with 12 TPI
- Miter box made from high impact plastic *237-6428*

Miter Box Only *237-6426*

12" Aluminum Handle High Tension Hack Saw *237-6432*

4-3/8" Micro Clamp
244-1356

Mini Clamp
- 6" *244-1358*
- 12" *244-1355*

Ratcheting Bar Clamp
- Clamping force 220 lbs.
- Easily converts to spreader
- **6"** *244-1350*
- **12"** *244-13501*
- **24"** *244-1352*
- **36"** *244-1353*

Ratcheting Band Clamp
- 13" band length *244-1361*

Expandable Locking Hand Clamp
- Adjustable from 2" to 5-1/2" *244-1348*

F-Clamp
- **12"** *244-1357*
- **24"** *244-1360*
- **36"** *244-1359*

VISES

PUSH BUTTON QUICK RELEASE FOR FAST JAW OPENING & CLOSING

RATCHETING HANDLE PROVIDES RAPID & INCREMENTAL TIGHTENING OR LOOSENING

REMOVABLE SWIVEL BASE

360° POSI-LOCK BASE

Low Profile Vise

- **3″** *243-1493*
- **4″** *243-1486*
- **5″** *243-1495*
- **6″** *243-1496*

4" Drill Press Vise

- 4-1/2" jaw opening *243-1491*

4" Heavy-Duty Workshop Vise

- 4-3/8" jaw opening
- **4″** *243-1484*
- **6″** *243-1486*

5" Multipurpose Vise

- 360° swivel base and rotating head
- 5-1/4" jaw opening
- Built-in anvil and V-shaped jaw for gripping metal or PVC pipe *243-1490*

5-1/2" Doublejaw Vise Heavy Duty

- 360° swivel base
- 6" regular jaw opening and 9-3/4" jaw opening reversed
- Two built-in anvils *243-1492*

SCREWDRIVERS

ALL MASTERFORCE HAND TOOLS

FEATURE A

★★★★★

LIFETIME WARRANTY

Acetate Handles

Classic Acetate and the Cushion Grip Acetate

Cellulose acetate is a rugged, impact- and chemical-resistant material that will not get soft when hot or shatter when cold.
Every blade and screwdriver produced is subjected to a series of rigorous testing to ensure each driver meets or exceeds ANSI standards.

A SCREWDRIVER FOR EVERY JOB

Masterforce® provides screwdrivers with many tip sizes and blade lengths to cover nearly every job.

Drive Icons

PHILLIPS™ SLOTTED TORX® SQUARE

Strength and Durability

Cellulate Acetate Core

4-Flute Cellulate Acetate



Precision Screwdrivers

SCREWDRIVERS

MADE IN USA

Slotted ⊖

1/16" x 1-1/2"	*237-7931*
5/64" x 2"	*237-7932*
3/32" x 2"	*237-7933*
1/8" x 2-1/4"	*237-7753*
1/8" x 4"	*237-7757*
1/8" x 4"	*237-7923*
1/8" x 6"	*237-7755*
3/16" x 3"	*237-7937*
3/16" x 6"	*237-7761*
1/4" x 4"	*237-7767*
1/4" x 6"	*237-7769*
1/4" x 8"	*237-7771*
1/4" x 12"	*237-7773*
1/4" x 16"	*237-7943*
1/4" x 24"	*237-7944*
5/16" x 6"	*237-7775*
5/16" x 8"	*237-7777*
3/8" x 8"	*237-7779*

Phillips ⊕

#0000 x 1-1/2"	*237-7949*
#000 x 1-1/2"	*237-7950*
#00 x 2"	*237-7783*
#0 x 2-1/2"	*237-7951*
#0 x 4"	*237-7787*
#1 x 3"	*237-7789*
#1 x 6"	*237-7791*
#1 x 9"	*237-7793*
#2 x 4"	*237-7795*
#2 x 6"	*237-7959*
#2 x 8"	*237-7797*
#2 x 12"	*237-7799*
#2 x 16"	*237-7960*
#2 x 24"	*237-7961*
#3 x 6"	*237-7801*
#4 x 8"	*237-7963*

Phillips Bolster ⊕

#1 x 4-1/2"	*237-7955*
#2 x 5-1/2"	*237-7958*
#3 x 7-1/2"	*237-7962*

Slotted Bolster ⊖

3/16" x 4-1/2"	*237-7938*
1/4" x 4-1/2"	*237-7941*
5/16" x 7-1/2"	*237-7945*

Hex Base For More Torque

Slotted Stubby ⊖

3/16" x 1-1/2"	*237-7935*
1/4" x 1-1/2"	*237-7939*

Phillips Stubby ⊕

#1 x 1-1/2"	*237-7953*
#2 x 1-1/2"	*237-7956*

Slotted Super Stubby ⊖

3/16" x 1-1/2"	*237-7936*
1/4" x 1-1/2"	*237-7940*

Phillips Super Stubby ⊕

#1 x 1-1/2"	*237-7954*
#2 x 1-1/2"	*237-7957*

6 PC ⊖ ⊕

- Slotted Cabinet Tip 1/8" x 2-1/4", 3/16" x 3", 1/4" x 4"
- Phillips #0 x 2-1/2", #1 x 3", #2 x 4" *237-7705*

6 PC ⊖ ⊕

- Slotted 1/16" x 1-1/2", 5/64" x 2", 3/32" x 2"
- Phillips #0000 x 1.5", #000 x 1.5" and #00 x 2" *237-7924*

5 PC Bolster ⊖ ⊕

- Slotted 3/16: x 4-1/2", 1/4" x 5-1/2", 5/16" x 7-1/2"
- Phillips #1 x 4-1/2", #2 x 4-1/2" *237-7925*

4 PC Stubby ⊖ ⊕

- Slotted Cabinet 3/16" x 1-1/2", Keystone 1/4" x 1-1/2"
- Phillips #1 x 1-1/2", #2 x 1-1/2" *237-7703*

Square ■

#1 x 3"	*237-7869*
#2 x 4"	*237-7871*

Torx® ✪

T5 x 1-1/2"	*237-7803*
T6 x 2"	*237-7921*
T7 x 2"	*237-7809*
T8 x 2-1/2"	*237-7811*
T9 x 2-1/2"	*237-7813*
T10 x 3"	*237-7815*
T15 x 3"	*237-7817*
T20 x 3"	*237-7819*
T25 x 3"	*237-7821*
T27 x 4"	*237-7823*
T30 x 4"	*237-7825*
T40 x 6"	*237-7964*

3 PC ⊖ ⊕ ✪

- Slotted 3/32"
- Phillips #00
- Torx® T6 *237-7701*

5 PC ✪

- Torx® T5 x 1-1/2", T6 x 2", T7 x 2", T8 x 2-1/2", T9 x 2-1/2" *237-7715*

6 PC ✪

- Torx® 3" T10, 3" T15, 3" T20, 3" T25, 4" T27, and 4" T30 *237-7717*

8 PC Quick Release Bit Driver Set

- Slotted 1/8", 3/16", 1/4"
- Phillips #1, #2
- Square #1, #2 *237-7731*

8 PC Magnetic Bit Driver Set

- Slotted 1/8", 3/16", 1/4"
- Phillips #1, #2
- Square #1, #2 *237-7729*

2 PC Offset Screwdriver Set

- Slotted 1/4" x 1/4"
- Phillips #1, #2 *237-7733*

21 PC Universal L-Key Set

- 1 Universal L-Driver
- SAE Hex Bits - .050", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", (2) 3/16", 7/32", (2) 1/4"
- Metric Bits - 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 *237-7735*

SCREWDRIVERS & NUT DRIVERS

CUSHION GRIP

Slotted	
1/16" x 1-1/2"	*237-7931*
3/16" x 3"	*237-7873*
3/16" x 5-1/2"	*237-7984*
3/16" x 6"	*237-7875*
3/16" x 8"	*237-7877*
1/4" x 1-1/2"	*237-7985*
1/4" x 4"	*237-7879*
1/4" x 7"	*237-7881*
5/16" x 6"	*237-7883*
5/16" x 8"	*237-7885*
3/8" x 8"	*237-7887*

Phillips	
#1 x 3"	*237-7893*
#2 x 1-1/2"	*237-7899*
#2 x 4"	*237-7897*
#2 x 5-1/2"	*237-7988*
#2 x 6"	*237-7901*
#2 x 8"	*237-7903*
#3 x 6"	*237-7907*

Square Recess	
#1 x 3"	*237-7991*
#2 x 4"	*237-7992*

Nut Driver	
1/4" x 3-1/4"	*237-7989*
5/16" x 3-1/4"	*237-7990*

5 PC

- Slotted Cabinet 3/16" x 6", 1/4" x 4", 5/16" x 6"
- Phillips #1 x 3", #2 x 6"

237-7741

6-in-1

- Nutdriver 1/4", 5/16"
- Phillips #1, #2 bits
- Slotted 3/16", 1/4" bits

237-7929

Specialty	
Terminal Release	*237-7994*
Awl/Scribe	*237-7995*

2 PC Nut Driver

- Nut Driver 1/4" x 3-1/4", 5/16" x 3-1/4"
- Hollow Shaft *237-7930*

NUT DRIVER

SAE	
1/4" x 3-1/4"	*237-7843*
5/16" x 3-1/4"	*237-7845*
3/8" x 3-1/4"	*237-7849*
7/16" x 4"	*237-7851*
1/2" x 4"	*237-7853*

Metric	
5.5 x 3-1/4"	*237-7857*
7.0 x 3-1/4"	*237-7861*
8.0 x 3-1/4"	*237-7863*
10.0 x 4"	*237-7865*

7 PC SAE

- 3/16" x 3-1/4", 1/4" x 3-1/4", 5/16" x 3-1/4", 11/32" x 3-1/4", 3/8" x 3-1/4", 7/16" x 4", 1/2" x 4"

237-7723

7 PC Metric

- 5 x 3-1/4", 5.5 x 3-1/4", 6 x 3-1/4", 7 x 3-1/4", 8 x 3-1/4", 10 x 4", 11 x 4" *237-7725*

BALL END HEX KEY SET



Specialty	
Screwstarter	*237-7983*
Awl/Scribe	*237-7980*
Scribe	*237-7981*

4 PC Hook & Pick

- 180° Hook, 90° Probe, Complex Probe and Scribe

237-7927

7 PC SAE

- 3/32" x 3", 7/64" x 3", 1/8 x 4", 9/64" x 4", 5/32" x 4", 3/16" x 5", 1/4" x 6" *237-7719*

7 PC Metric

- 1.5 x 2", 2.0 x 3", 2.5 x 3", 3.0 x 4", 4.0 x 4", 5.0 x 5", 6.0 x 6" *237-7721*

20 PC 3/8" Drive Go-Thru Set *237-9931*

3/8" DRIVE

MM 9 PC 6-Point Go-Thru Sockets
10, 11, 12, 13, 14, 15, 17, 18, 19mm

SAE 9 PC 6-Point Go-Thru Sockets
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Go-Thru Ratchet
Go-Thru Quick-Release Adapter

Unique design allows long bolts to extend through the ratchet so you can get to fasteners that standard and deep sockets cannot reach

Go-Thru design allows access to extended bolts or fasteners

40 PC Go-Thru Set 237-9934

1/4" DRIVE

MM 7 PC Go-Thru Sockets
4.5, 5, 5.5, 6, 7, 8, 9mm

SAE 7 PC Go-Thru Sockets
3/16", 13/64", 7/32", 1/4", 9/32", 5/16", 11/32"

72-Tooth Go-Thru Ratchet
Quick-Release Adapter
3" Go-Thru Extension

3/8" DRIVE

MM 10 PC Go-Thru Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

SAE 10 PC Go-Thru Sockets
3/8", 7/16", 1/2", 15/32", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

72-Tooth Go-Thru Ratchet
Quick-Release Adapter
3" Go-Thru Extension

RATCHETS

Quick Release

Forward/Reverse Switch

Rotohead

180° Flex Head Provides Off-Angle Access to Fasteners

A. ROTOHEAD
- 1/4" DR *237-8387*
- 3/8" DR *237-8390*
- 1/2" DR *237-8393*

B. QUICK RELEASE FLEX HEAD
- 1/4" DR x 10 *237-8348*
- 3/8" DR x 11" *237-8351*
- 1/2" DR x 12" *237-8354*

C. QUICK RELEASE
- 1/4" DR x 5" *237-8363*
- 3/8" DR x 4" *237-8384*
- 3/8" DR x 7" *237-8366*
- 1/2" DR x 10" *237-8369*
- 3/4" DR x 19" *237-8372*

D. QUICK RELEASE CUSHION GRIP
- 1/4" DR *237-8375*
- 3/8" DR *237-8378*
- 1/2" DR *237-8381*

E. FLEX HEAD BREAKER BAR
- 1/4" DR x 6" *237-8478*
- 3/8" DR x 12" *237-8479*
- 3/8" DR x 18" *237-8480*
- 1/2" DR x 30" *237-8482*
- 1/2" DR x 19" *237-8484*
- 3/4" DR x 40" *237-8486*

F. QUICK RELEASE CUSHION GRIP FLEXHEAD
- 3/8" DR x 18" *237-8360*
- 1/2" DR x 24" *237-8357*

G. QUICK RELEASE EXTENDABLE RATCHET
- 3/8" DR x 8"-12" *237-8396*
- 1/2" DR x 11"-16" *237-8399*

3/4" Drive T-Bar
237-8488

1/4" Drive Flex Shaft Spinner
237-8492

1/4" Drive Spinner
237-8490

3/8" Drive Speeder Handles
- 3/8" *237-8496*
- 1/2" *237-8498*

Magnetic Bit Driver
237-8494



1/4" DR

Mechanical Torque Wrench

Application Examples:
- Bicycle assembly & repair
- Motorcycle component assembly
- ATC/UTV repair

237-8323

3/8" DR

Mechanical Torque Wrench

Application Examples:
- Final tightening of oil drain plugs
- Final tightening of valve cover bolts
- Motorcycle engine assembly

237-8326

1/2" DR

Mechanical Torque Wrench

Application Examples:
- Final tightening of wheels on autos & light trucks
- Final tightening of head bolts during engine assembly
- Final tightening of crankshaft journals

237-8329

3/8" DR

3-Button Digital Torque Wrench

Application Examples:
- Final tightening of oil drain plugs
- Final tightening of valve cover bolts
- Motorcycle engine assembly

237-8332

1/2" DR

3-Button Digital Torque Wrench

Application Examples:
- Final tightening of wheels on autos & light trucks
- Final tightening of head bolts during engine assembly
- Final tightening of crankshaft journals

237-8335

1/4" DR

Torque Screwdriver Kit

Application Examples:
- Tightening of motorcycle fairings
- Tightening of master cylinder reservoir caps
- Installation of threaded valve stems

237-8320

SOCKETS

A SOCKET FOR EVERY JOB

Masterforce® sockets are forged from heat-treated chrome vanadium steel, but the finishing process determines the purpose.

1/4" DR | 3/8" DR | 1/2" DR | 3/4" DR

SAE | MM | STAR

6 POINT | 12 POINT

Full-Polish Chrome

This easy-to-clean finish provides strength, durability, and a lifetime of corrosion resistance.

Black Phosphate

Engineered to work with pneumatic tools and durable enough to withstand impact blows.

Satin-Chrome

Rugged finish for your heavy-duty, hand-driven projects.

Control Drive®



Grips the fastener across a broader contact area and allows for greater torque loads without tool slippage.

1/4" Drive Socket

SAE	5/32"	237-7205
	3/16"	237-7206
	7/32"	237-7207
	1/4"	237-7208
	9/32"	237-7209
	5/16"	237-7210
	11/32"	237-7211
	3/8"	237-7212
	7/16"	237-7213
	1/2"	237-7214
	9/16"	237-7215
MM	4mm	237-7220
	5mm	237-7221
	5.5mm	237-7222
	6mm	237-7223
	7mm	237-7224
	8mm	237-7225
	9mm	237-7226
	10mm	237-7227
	11mm	237-7228
	12mm	237-7229
	13mm	237-7230
	14mm	237-7231

1/4" Drive Deep Socket

SAE	5/32"	237-7240
	3/16"	237-7241
	7/32"	237-7242
	1/4"	237-7243
	9/32"	237-7244
	5/16"	237-7245
	11/32"	237-7246
	3/8"	237-7247
	7/16"	237-7248
	1/2"	237-7249
	9/16"	237-7250
MM	4mm	237-7255
	5mm	237-7256
	5.5mm	237-7257
	6mm	237-7258
	7mm	237-7259
	8mm	237-7260
	9mm	237-7261
	10mm	237-7262
	11mm	237-7263
	12mm	237-7264
	13mm	237-7265
	14mm	237-7266

3/8" Drive Socket

SAE	1/4"	237-7270
	5/16"	237-7271
	3/8"	237-7272
	7/16"	237-7273
	1/2"	237-7274
	9/16"	237-7275
	5/8"	237-7276
	11/16"	237-7277
	3/4"	237-7278
	13/16"	237-7279
	7/8"	237-7280
	15/16"	237-7281
	1"	237-7282
MM	7mm	237-7290
	8mm	237-7291
	9mm	237-7292
	10mm	237-7293
	11mm	237-7294
	12mm	237-7295
	13mm	237-7296
	14mm	237-7297
	15mm	237-7298
	16mm	237-7299
	17mm	237-7300
	18mm	237-7301
	19mm	237-7302
	20mm	237-7303
	21mm	237-7304
	22mm	237-7305

3/8" Drive Deep Socket

SAE	1/4"	237-7310
	5/16"	237-7311
	3/8"	237-7312
	7/16"	237-7313
	1/2"	237-7314
	9/16"	237-7315
	5/8"	237-7316
	11/16"	237-7317
	3/4"	237-7318
	13/16"	237-7319
	7/8"	237-7320
	15/16"	237-7321
	1"	237-7322
MM	8mm	237-7330
	9mm	237-7331
	10mm	237-7332
	11mm	237-7333
	12mm	237-7334
	13mm	237-7335
	14mm	237-7336
	15mm	237-7337
	16mm	237-7338
	17mm	237-7339
	18mm	237-7340
	19mm	237-7341

1/2" Drive Socket

SAE	3/8"	237-7370
	7/16"	237-7371
	1/2"	237-7372
	9/16"	237-7373
	5/8"	237-7374
	11/16"	237-7375
	3/4"	237-7376
	13/16"	237-7377
	7/8"	237-7378
	15/16"	237-7379
	1"	237-7380
	1-1/16"	237-7381
	1-1/8"	237-7382
	1-3/16"	237-7383
	1-1/4"	237-7384
	1-1/2"	237-7385
MM	9mm	237-7390
	10mm	237-7391
	11mm	237-7392
	12mm	237-7393
	13mm	237-7394
	14mm	237-7395
	15mm	237-7396
	16mm	237-7397
	17mm	237-7398
	18mm	237-7399
	19mm	237-7400
	20mm	237-7401
	21mm	237-7402
	22mm	237-7403
	23mm	237-7404
	24mm	237-7405
	25mm	237-7406
	26mm	237-7407
	27mm	237-7408
	28mm	237-7409
	30mm	237-7410
	32mm	237-7411

1/2" Drive Deep Socket

SAE	1/2"	237-7421
	9/16"	237-7422
	5/8"	237-7423
	11/16"	237-7424
	3/4"	237-7425
	13/16"	237-7426
	7/8"	237-7427
	15/16"	237-7428
	1"	237-7429
	1-1/16"	237-7430
	1-1/8"	237-7431
	1-1/4"	237-7432
MM	10mm	237-7450
	11mm	237-7451
	12mm	237-7452
	13mm	237-7453
	14mm	237-7454
	15mm	237-7455
	16mm	237-7456
	17mm	237-7457
	18mm	237-7458
	19mm	237-7459
	20mm	237-7460
	21mm	237-7461
	22mm	237-7462
	23mm	237-7463
	24mm	237-7464
	27mm	237-7465
	28mm	237-7466
	30mm	237-7467
	32mm	237-7468

3/4" Drive Socket

SAE	7/8"	*237-7480*
	15/16"	*237-7481*
	1"	*237-7482*
	1-1/16"	*237-7483*
	1-1/8"	*237-7484*
	1-1/4"	*237-7485*
	1-5/16"	*237-7486*
	1-3/8"	*237-7487*
	1-7/16"	*237-7488*
	1-1/2"	*237-7489*
	1-5/8"	*237-7490*
	1-11/16"	*237-7491*
	1-3/4"	*237-7492*
	1-13/16"	*237-7493*
	1-7/8"	*237-7494*
	2"	*237-7495*

3/8" Drive Spark Plug Socket

SAE	5/8"	*237-7345*
	3/4"	*237-7348*
	13/16"	*237-7351*
MM	18mm	*237-7354*

1/4" Drive Socket Sets

SAE MM	10 PC	*237-7530*
	10 PC	*237-7531*

1/4" Drive Deep Socket Sets

SAE MM	10 PC	*237-7538*
	10 PC	*237-7539*

3/8" Drive Socket Sets

SAE MM	9 PC	*237-7546*
	9 PC	*237-7547*

3/8" Drive Deep Socket Sets

SAE MM	9 PC	*237-7554*
	9 PC	*237-7555*

3/8" Flex Socket Sets

SAE MM	7 PC	*237-7562*
	7 PC	*237-7563*

1/2" Drive Socket Set

SAE	9 Pc	*237-7570*
	10 Pc	*237-7578*
MM	9 PC mm	*237-7571*
	10 PC mm	*237-7579*

1/4" DR

3/8" DR

1/2" DR

3/8" Drive Impact Socket

SAE	5/16"	237-8110
	3/8"	237-8111
	7/16"	237-8112
	1/2"	237-8113
	9/16"	237-8114
	5/8"	237-8115
	11/16"	237-8116
	3/4"	237-8117
MM	11mm	237-8118
	12mm	237-8119
	13mm	237-8120
	14mm	237-8121
	15mm	237-8122
	16mm	237-8123
	17mm	237-8124
	18mm	237-8125
	19mm	237-8126

3/8" Drive Deep Impact Socket

SAE	5/16"	237-8127
	3/8"	237-8128
	7/16"	237-8129
	1/2"	237-8130
	9/16"	237-8131
	5/8"	237-8132
	11/16"	237-8133
	3/4"	237-8134
MM	11mm	237-8135
	12mm	237-8136
	13mm	237-8137
	14mm	237-8138
	15mm	237-8139
	16mm	237-8140
	17mm	237-8141
	18mm	237-8142
	19mm	237-8143

1/2" Drive Impact Socket

SAE	3/8"	237-8144
	7/ 16"	237-8145
	1/2"	237-8146
	9/16"	237-8147
	5/8"	237-8148
	11/16"	237-8149
	3/4"	237-8150
	13/16"	237-8151
	7/8"	237-8152
	15/16"	237-8153
	1"	237-8154
	1-1/16"	237-8155
	1-1/8"	237-8156
	1-3/16"	237-8157
	1-1/4"	237-8158
MM	10mm	237-8159
	11mm	237-8160
	12mm	237-8161
	13mm	237-8162
	14mm	237-8163
	15mm	237-8164
	16mm	237-8165
	17mm	237-8166
	18mm	237-8167
	19mm	237-8168
	20mm	237-8169
	21mm	237-8170
	22mm	237-8171
	24mm	237-8172
	25mm	237-8173
	27mm	237-8174

1/2" Drive Deep Impact Socket

SAE	3/8"	237-8175
	7/16"	237-8176
	1/2"	237-8177
	9/16"	237-8178
	5/8"	237-8179
	11/16"	237-8180
	3/4"	237-8181
	13/16"	237-8182
	7/8"	237-8183
	15/16"	237-8184
	1"	237-8185
	1-1/16"	237-8186
	1-1/8"	237-8187
	1-3/16"	237-8188
	1-1/4"	237-8189
MM	10mm	237-8190
	11mm	237-8191
	12mm	237-8192
	13mm	237-8193
	14mm	237-8194
	15mm	237-8195
	16mm	237-8196
	17mm	237-8197
	18mm	237-8198
	19mm	237-8199
	20mm	237-8200
	21mm	237-8201
	22mm	237-8200
	23mm	237-8203
	24mm	237-8204
	25mm	237-8205
	27mm	237-8206
	30mm	237-8207
	32mm	237-8208
	36mm	237-8209

3/4" Drive Impact Socket

SAE	13/16"	237-8211
	15/16"	237-8212
	7/8"	237-8213
	1"	237-8214
	1-1/16"	237-8215
	1-1/8"	237-8216
	1-3/16"	237-8217
	1-1/4"	237-8218
	1"	237-8219
	1-3/8"	237-8220
	1-7/16"	237-8221
	1-1/2"	237-8222
MM	22mm	237-8223
	24mm	237-8224
	25mm	237-8225
	26mm	237-8226
	27mm	237-8227
	29mm	237-8228
	30mm	237-8229
	32mm	237-8230
	33mm	237-8231
	36mm	237-8232
	38mm	237-8233
	41mm	237-8234

3/4" Drive Deep Impact Socket

SAE	3/4"	237-8235
	13/16"	237-8236
	15/16"	237-8237
	7/8"	237-8238
	1"	237-8239
	1-1/16"	237-8240
	1-1/8"	237-8241
	1-3/16"	237-8242
	1-1/4"	237-8243
	1-5/16"	237-8244
	1-3/8"	237-8245
	1-7/16"	237-8246
	1-1/2"	237-8247

3/8" Drive Impact Socket Sets

- **8 PC SAE** 9/16", 3/4", 1/2", 5/16", 3/8", 5/8", 7/16", 11/16" *237-8250*
- **8 PC mm** 18, 17, 15, 14, 13, 12, 10, 19mm *237-8251*

3/8" Drive Deep Impact Socket Sets

- **12 PC SAE** 9/16", 3/4", 7/8", 1/2", 5/16", 3/8", 5/8", 13/16", 7/16", 11/16", (2) 3/8" impact drill adapters *237-8256*
- **13 PC mm** 18, 17, 15, 14, 13, 12, 11, 8, 10, 9, 19mm *237-8259*

1/2" Drive Impact Socket Sets

- **13 PC SAE** 2", 1-1/16", 7/8", 3/4", 15/16", 1", 5/8", 3/8", 13/16", 9/16", 1/2", 1-1/8", 7/16", 11/16" *237-8262*
- **11 PC mm** 18, 17, 1m, 15, 14, 13, 12, 11, 21, 10, 19mm *237-8263*

1/2" Drive Deep Impact Socket Sets

- **11 PC SAE** 9/16", 1-1/16", 1/2", 3/4", 7/8", 15/16", 1", 5/8", 13/16", 7/16", 11/16" *237-8268*
- **14 PC mm** 21, 10, 18, 17, 16, 15, 14, 24, 13, 12, 22, 11, 19mm *237-8269*

57 PC 1/2" Drive Impact Socket Set 237-8285

1/2" DRIVE

MM
13 PC 6-Point Impact Sockets
10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm

13 PC 6-Point Deep Impact Sockets
10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm

3/8 DRIVE

Impact Swivel Adapter

SAE
12 PC 6-Point Impact Sockets
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16"

12 PC 6-Point Deep Impact Sockets
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16"

3" Impact Extension
6" Impact Extension
10" Impact Extension
Impact Swivel Adapter
1/2" x 3/8" Impact Adapter
3/4" x 13/16" Impact Flip Socket

25 PC Deep Impact Socket Set 237-8290

1/2" DRIVE

MM
13 PC 6-Point Deep Impact Sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

SAE
11 PC 6-Point Deep Impact Sockets
3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

3" Impact Extension

SOCKETS

UNIVERSAL SOCKET ADAPTER

- 1/4" *237-8463*
- 3/8" *237-8464*
- 1/2" *237-8465*

SOCKET ADAPTER

- 1/4" Drive 3/8" *237-8443*
- 3/8" Drive 1/4" *237-8445*
- 3/8" Drive 1/2" *237-8447*
- 1/2" Drive 3/8" *237-8449*
- 1/2" Drive 3/4" *237-8451*
- 3/4" Drive 1/2" *237-8453*

Impact Extension

- 3/8" Drive 3" *237-8415*
- 1/2" Drive 3" *237-8432*
- 1/2" Drive 6" *237-8433*
- 1/2" Drive 10" *237-8434*
- 3/4" Drive 3" *237-8435*
- 3/4" Drive 6" *237-8436*
- 3/4" Drive 10" *237-8437*
- 3/8" Drive 6" *237-8416*

Impact Socket Adapter

- 3/8" Drive 1/2" *237-8455*
- 1/2" Drive 3/8" *237-8457*
- 3/4" Drive 1/2" *237-8461*
- 1/2" Drive 3/4" *237-8459*

Impact Universal Joint

- 3/8" *237-8467*
- 1/2" *237-8468*

Drive Extension

1/4" Drive 3" *237-8400*
1/4" Drive 6" *237-8401*
3/8" Drive 3" *237-8406*
3/8" Drive 6" *237-8407*
3/8" Drive 10" *237-8408*
1/2" Drive 3" *237-8418*
1/2" Drive 5" *237-8419*
1/2" Drive 10" *237-8420*
3/4" Drive 4" *237-8426*
3/4" Drive 8" *237-8428*
3/4" Drive 16" *237-8430*

Drive Locking Extension

1/4" Drive 10" *237-8403*
1/4" Drive 14" *237-8404*
3/8" Drive 12" *237-8410*
3/8" Drive 24" *237-8411*
1/2" Drive 18" *237-8422*
1/2" Drive 24" *237-8424*

7 PC 3/8" Drive Screwdriver Bit Socket Set

- 4, 5, 6mm *237-9686*

3/8" Star Bit Socket

- T47 *237-7510*
- T55 *237-7513*
- T60 *237-7516*

8 PC 3/8" Drive Star Bit Socket Set

- T27, T15, T25, T45, T20, T30, T40, T50 *237-9676*

7 PC 1/2" Drive SAE Hex Socket Set

- 9/16", 3/4", 1/2", 5/8", 3/8", 7/16", 11/16" *237-9692*

7 PC 3/8" Drive SAE Hex Bit Socket Set

- 1/8", 5/16", 5/32", 3/8", 1/4", 7/32", 3/16" *237-9660*

7 PC 3/8" Drive SAE Hex Ball Socket Set

- *1/8", 5/16", 5/32", 1/4", 3/8", 7/32", 3/16"* *237-9668*

8 PC 3/8" Drive Tamper-Proof Star Bit Socket Set

- TT27, TT15, TT25, TT45, TT20, TT30, TT40, TT50 *237-9678*

7 PC 1/2" Drive Metric Hex Socket Set

- 9, 10, 11, 12, 13, 14, 15mm *237-9693*

7 PC 3/8" Drive MM Hex Bit Socket Set

- 3, 4, 5, 6, 7, 8, 10mm *237-9661*

7 PC 3/8" Drive MM Hex Ball Socket Set

- 3, 4, 5, 6, 7, 10, 8mm *237-9669*

25 PC 3/8" Drive Star Bit Socket Set

- TT10, TT15, TT20, TT25, TT27, TT30, TT40, TT45, TT50
- T10, T15, T20, T25, T27, T30, T40, T45, T50
- E10, E11, E12, E14, E16, E18, E20 *237-9962*

7 PC 1/2" Drive Star Socket Set

- T47, T45, T55, T40, T50, T60, T70 *237-9694*

20 PC Right Angle Bit Driver Set

- Includes 1 ratcheting driver, (5) 5/16" insert bits, and (14) 1/4" insert bits *237-9974*

35 PC Right Angle Bit Driver Socket Set

- Includes 5 metric 12-point sockets, 5 SAE 12-point sockets, 2 drive tools, and 23 insert bits *237-9977*

7 PC 3/8" Drive Reverse Impact Drive Set

- Includes 2 slotted bit sockets, 3 phillips bit sockets, 1 manual impact, and 1 bit adapter *237-8472*

MECHANICS

SPECIFICALLY DESIGNED CASES

To accommodate a wide array of set sizes and configurations.

176 PC General Tool Set *237-9925*

1/4" DRIVE

MM 10 PC 6-Point Sockets
7 PC 6-Point Deep Sockets

SAE 10 PC 6-Point Sockets
6 PC 6-Point Deep Sockets
7 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
Spinner Handle
3" Extension
Bit Adapter

1/2" DRIVE

MM 6 PC 12-Point Sockets

SAE 4 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension

3/8" DRIVE

MM 7 PC 6-Point Sockets
7 PC 12-Point Sockets
7 PC 12-Point Deep Sockets

SAE 7 PC 6-Point Sockets
7 PC 12-Point Sockets
7 PC 12-Point Deep Sockets
2 PC 6-Point Spark Plug Sockets

72-Tooth Quick-Release Ratchet
3" Extension
6" Extension
Universal Adapter

MM 8 PC Hex Keys
6 PC Combination Wrenches

SAE 8 PC Hex Keys
6 PC Combination Wrenches

40 PC 1" Insert Bits
8" Adjustable Wrench
8" Long Nose Pliers
10" Tongue and Groove Pliers
Magnetic Bit Driver

69 PC Mechanics Tool Set *237-9940*

1/4" DRIVE

MM 9 PC 12-Point Sockets

SAE 10 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension

MM 7 PC Combination Wrenches

SAE 7 PC Combination Wrenches

13 PC 1" Insert Bits
Magnetic Bit Driver

3/8" DRIVE

MM 9 PC 12-Point Sockets

SAE 8 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension
3/8" x 1/4" Adapter

90 PC Mechanics Tool Set *237-9919*

1/4" DRIVE

MM
5 PC 12-Point Sockets
5 PC 12-Point Deep Sockets

SAE
6 PC 12-Point Sockets
3 PC 12-Point Deep Sockets

3" Extension Bar

36 PC 1" Insert Bits
9 PC Nut Driver Bits
Magnetic Bit Driver

3/8" DRIVE

MM
11 PC 12-Point Sockets

SAE
8 PC 12-Point Sockets
2 PC 6-Point Spark Plug Sockets

72-Tooth Quick-Release Ratchet
3" Extension
3/8" x 1/4" Adapter

125 PC Mechanics Tool Set *237-9943*

3/8" DRIVE

MM
11 PC 12-Point Sockets
10 PC 12-Point Deep Sockets

SAE
10 PC 12-Point Sockets
6 PC 12-Point Deep Sockets
2 PC 6-Point Spark Plug Sockets

72-Tooth Quick-Release Ratchet
3" Extension
6" Extension
Magnetic Bit Driver

MM
8 PC Hex Keys
7 PC 12-Point Combination Wrenches

SAE
8 PC Hex Keys
7 PC 12-Point Combination Wrenches

12 PC Nut Driver Bits
40 PC 1" Insert Bits

157 PC Mechanics Tool Set *237-9946*

1/4" DRIVE

MM
11 PC 12-Point Sockets
8 PC 12-Point Deep Sockets

SAE
10 PC 12-Point Sockets
8 PC 12-Point Deep Sockets

72-Tooth Quick-Release Ratchet
3" Extension
Magnetic Bit Driver

1/2" DRIVE

MM
6 PC 12-Point Sockets
6 PC 12-Point Sockets

SAE
72-Tooth Quick-Release Ratche

3/8" DRIVE

MM
6 PC 6-Point Sockets
8 PC 12-Point Sockets
4 PC 12-Point Deep Sockets

SAE
6 PC 6-Point Sockets
8 PC 12-Point Sockets
4 PC 12-Point Deep Sockets

4 PC Open End Wrenches

30 PC 1" Insert Bits

MM
14 PC Hex Keys

SAE
14 PC Hex Keys

220 PC Mechanics Tool Set *237-9928*

1/4" DRIVE

MM
11 PC 6-Point Sockets
9 PC 6-Point Deep Sockets

SAE
11 PC 6-Point Sockets
8 PC 12-Point Sockets
9 PC 12-Point Deep Sockets

72-Tooth Quick-Release Ratchet
Spinner Handle
3" Extension

1/2" DRIVE

MM
7 PC 12-Point Sockets
8 PC 12-Point Sockets

SAE
72-Tooth Quick-Release Ratchet
3" Extension

3/8" DRIVE

MM
5 PC 6-Point Sockets
11 PC 12-Point Sockets
7 PC 12-Point Deep Sockets

SAE
6 PC 6-Point Sockets
10 PC 12-Point Sockets
6 PC 12-Point Deep Sockets
2 PC 6-Point Spark Plug Sockets

72-Tooth Quick-Release Ratchet
3" Extension
6" Extension

20 PC Hex Keys
5 PC 12-Point Combination Wrenches

20 PC Hex Keys
5 PC 12-Point Combination Wrenches

11 PC Nut Driver Bits
40 PC 1" Insert Bits
Magnetic Bit Driver

MECHANICS

13 PC 3/4" SAE Drive Socket Set *237-9980*

3/4" DRIVE

SAE 9 PC 12-Point Sockets

19" Ratchet
8" Extension
16" Extension
19" Breaker Bar

21 PC 3/8" SAE Drive Socket Set *237-9952*

3/8" DRIVE

SAE 9 PC 12-Point Sockets
9 PC 12-Point Deep Sockets

72-Tooth Quick-Release Ratchet
Universal Joint
3" Extension

16 PC 1/2" Drive Socket Set *237-9949*

1/2" DRIVE

MM 7 PC 12-Point Sockets

SAE 7 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension

21 PC 3/8" Metric Drive Socket Set *237-9953*

3/8" DRIVE

MM 9 PC 12-Point Sockets
9 PC 12-Point Deep Sockets

72-Tooth Quick-Release Ratchet
Universal Joint
3" Extension

20 PC 3/8" Drive Mechanics Tool Set

237-9937

3/8" DRIVE

MM 9 PC 12-Point Sockets

SAE 9 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension

22 PC 1/4" Drive Socket Set *237-9959*

1/4" DRIVE

MM 10 PC 12-Point Sockets

SAE 10 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension

31 PC 1/2" Drive Mechanics Tool Set *237-9968*

1/2" DRIVE

MM 12 PC 12-Point Sockets

SAE 13 PC 12-Point Sockets

72-Tooth Quick-Release Ratchet
Universal Joint
3" Extension
5" Extension
10" Extension
12" Flex Head Breaker Bar

42 PC 1/4" & 3/8" Drive Socket Set

1/4" DRIVE

MM 8 PC 12-Point Deep Sockets

SAE 5 PC 12-Point Sockets
9 PC 12-Point Deep Sockets

3/8" DRIVE

MM 11 PC 12-Point Sockets

SAE 5 PC 12-Point Sockets
1 PC 6-Point Spark Plug Socket

72-Tooth Quick-Release Ratchet
3" Extension
3/8" x 1/4" Adapter

57 PC 3/8" & 1/2" Drive Tool Set *237-9913*

3/8" DRIVE

MM 12 PC 12-Point Sockets
8 PC 12-Point Deep Sockets

SAE 9 PC 12-Point Sockets
7 PC 12-Point Deep Sockets
1 PC 6-Point Spark Plug Socket

72-Tooth Quick-Release Ratchet
3" Extension

1/2" DRIVE

MM 9 PC 12-Point Sockets

SAE 8 PC 12-Point Deep Sockets

72-Tooth Quick-Release Ratchet

65PC 1/4" & 3/8" Drive Socket Set *237-9916*

1/4" DRIVE

MM 9 PC 12-Point Sockets

SAE 10 PC 12-Point Sockets

12 PC Nut Driver Bits
10 PC 1" Insert Bits
Magnetic Bit Driver

3/8" DRIVE

MM 11 PC 12-Point Sockets

SAE 8 PC 12-Point Sockets
1 PC 6-Point Spark Plug Socket

72-Tooth Quick-Release Ratchet
3" Extension
3/8" x 1/4" Adapter

46 PC 1/4" & 3/8" Drive Socket Set *237-9910*

1/4" DRIVE

MM 6 PC 12-Point Sockets

SAE 10 PC 12-Point Sockets

3/8" DRIVE

MM 8 PC 6-Point Sockets

SAE 8 PC 6-Point Sockets

72-Tooth Quick-Release Ratchet
3" Extension
3/8" x 1/4" Adapter
10 PC 1" Insert Bits
Magnetic Bit Driver

WRENCHES

COMBINATION

SAE

1/4"	237-8810	11/16"	237-8817	1-1/16"	237-8823	1-1/2"	237-8829
5/16"	237-8811	3/4"	237-8818	1-1/8"	237-8824	1-5/8"	237-8830
3/8"	237-8812	13/16"	237-8819	1-1/4"	237-8825	1-11/16"	237-8831
7/16"	237-8813	7/8"	237-8820	1-5/16"	237-8826	1-3/4"	237-8832
1/2"	237-8814	15/16"	237-8821	1-3/8"	237-8827	1-13/16"	237-8833
9/16"	237-8815	1"	237-8822	1-7/16"	237-8828	1-7/8"	237-8834
5/8"	237-8816					2"	237-8835

METRIC

6mm	237-8862	12mm	237-8868	18mm	237-8875	24mm	237-8880
7mm	237-8863	13mm	237-8869	19mm	237-8876	25mm	237-8881
8mm	237-8864	14mm	237-8870	20mm	237-8877	26mm	237-8882
9mm	237-8865	15mm	237-8871	21mm	237-8878	27mm	237-8883
10mm	237-8866	16mm	237-8872	22mm	237-8879	30mm	237-8885
11mm	237-8867	17mm	237-8873	23mm	237-8828	32mm	237-8885
						36mm	237-8886

SAE

7 PC *3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"* — *237-8966*

METRIC

7 PC *10, 12, 13, 14, 15, 17, 21,* — *237-8967*

SAE / METRIC

10 PC *9/16", 5/8", 11/16", 3/4", 13/16", 13, 14, 15, 16, 17* — *237-8972*

SAE / METRIC

10 PC *1/4", 5/16", 3/8", 7/16", 1/2", 8, 9, 10, 11, 12* — *237-8973*

MINI COMBINATION

SAE

10 PC *5/32", 3/16", 13/64", 7/32", 15/64", 1/4", 9/32", 5/16", 3/8", 7/16"* — *237-8960*

METRIC

10 PC *4.5, 5.5, 4, 5, 6, 7, 8, 9, 10, 11mm* — *237-8961*

OPEN IGNITION

SAE

8 PC *15/64", 5/16", 3/8", 1/4", 7/16" 7/32", 9/32", 11/32"* — *237-8988*

LARGE COMBINATION

SAE

5 PC *1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"* — *237-8984*

METRIC

5 PC *23, 24, 26, 27, 30mm* — *237-8985*

OPEN END RATCHETING

SAE

7 PC *5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16"* — *237-9578*

METRIC

7 PC *8, 10, 12, 13, 14, 15, 17mm* — *237-9579*

DOUBLE OPEN END RATCHETING



SAE

5 PC *5/16" x 3/8", 7/16" x 1/2", 9/16 x 5/8", 11/16" x 3/4", 13/16" x 7/8"* — *237-9570*

METRIC

5 PC *8 x 10, 11 x 13, 14 x 15, 17 x 19, 21mm x 22mm* — *237-9571*

COMBINATION RATCHETING

SAE							
1/4"	237-9405	1/2"	237-9410	13/16"	237-9416	1-1/8"	237-9420
5/16"	237-9406	9/16"	237-9411	7/8"	237-9417	1-1/4"	237-9421
11/32"	237-9407	11/16"	237-9412	15/16"	237-9418		
3/8"	237-9408	5/8"	237-9414	1"	237-9452		
7/16"	237-9409	3/4"	237-9415	1-1/16"	237-9419		

METRIC							
6mm	237-9439	11mm	237-9444	16mm	237-9449	21mm	237-9454
7mm	237-9440	12mm	237-9445	17mm	237-9450	22mm	237-9455
8mm	237-9441	13mm	237-9446	18mm	237-9451	24mm	237-9456
9mm	237-9442	14mm	237-9447	19mm	237-9452	25mm	237-9457
10mm	237-9443	15mm	237-9448	20mm	237-9453		

SAE		
4 PC	13/16", 7/8", 15/16", 1"	237-9530
8 PC	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	237-9538

METRIC		
4 PC	21, 22, 24, 25mm	237-9531
8 PC	8, 10, 12, 13, 14, 15, 17, 18mm	237-9539

SAE	METRIC		
20 PC	1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6, 8, 10, 12, 13, 14, 15, 16, 17, 18mm	237-9525	

FLEX HEAD COMBINATION RATCHETING

SAE							
5/16"	237-9477	11/16"	237-9483				
3/8"	237-9478	3/4"	237-9484				
7/16"	237-9479	13/16"	237-9485				
1/2"	237-9480	7/8"	237-9486				
9/16"	237-9481	15/16"	237-9487				
5/8"	237-9482	1"	237-9488				

METRIC			
8mm	237-9501	14mm	237-9507
9mm	237-9502	15mm	237-9508
10mm	237-9503	17mm	237-9509
11mm	237-9504	19mm	237-9510
12mm	237-9505	21mm	237-9511
13mm	237-9506	22mm	237-9512

SAE		
7 PC	3/8", 7/16", 1/2", 9/16", 5/8", 11/16" 3/4"	237-9554

METRIC		
7 PC	10, 12, 13, 14, 15, 17, 19mm	237-9555

REVERSIBLE RATCHETING COMBINATION

SAE		
8 PC	9/16", 1/2", 3/4", 5/16", 3/8", 5/8", 7/16", 11/16"	237-9546

METRIC		
8 PC	8, 10, 12, 13, 14, 15, 17, 19	237-9547

REVERSIBLE RATCHETING DOUBLE BOX END

SAE		
2 PC	5/16", 3/8",7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	237-9562

METRIC		
2 PC	8, 10, 12, 13, 14, 15 17, 19	237-9563

INSPECTION

3 YEAR LIMITED WARRANTY

Inspection Camera/Video - Wi-Fi embedded and portable, this multi-functional inspection tool provides live streaming video with voice notes as well taking still images. The device transmits video wirelessly to smart devices, enabling the user to inspect visually inaccessible areas. The camera connects via Wi-Fi to most smart devices using its unique SSID. Using the Masterforce® Inspection Camera/Video app, video, still images, and sound can be recorded, saved, and shared. Works with iPhone® and Android™ devices.

Download on the App Store

ANDROID APP ON Google play

Masterforce® Inspection Camera/Video App

8.5mm Camera with Dimmable LED Lights
Allows the user to adjust the camera view to see detail

3' Flexible Shaft
For viewing hard-to-reach places

8.5mm Wi-Fi Inspection Camera *244-5966*

- **Record and capture video over Wi-Fi with your smartphone**
- **4-position live-view rotation**
- **Includes Wi-Fi inspection camera/video, mirror, hook, magnet, mirror, 3' flexible shaft, (4) AA batteries, storage case and instruction manual**

SPECIFICATIONS	
CAMERA HEAD DIAMETER	*8.5mm*
DISPLAY RESOLUTION	*640 X 480*
FLEXIBLE SHAFT	*3'*
VIEWING ANGLE	*60°*
RUN TIME	*2-3 hours*
OPERATING TEMPERATURE	*-32°F to 113°F*
BATTERIES	*4 X AA (included)*

Camera Light Dimmer

Spring-loaded Smart Device Holder
Allows the user to view hands free

480p High-definition, Ultra-compact 5.5mm Camera Head
Allows the user to adjust the camera view to see detail

Integrated LED Flashlight
Illuminates work area

5.5mm Wi-Fi Inspection Camera/Video *244-5969*

- **Software interface records video with sound and captures still pictures**
- **Includes Wi-Fi inspection camera/video, spring-loaded device holder, hook, magnet, mirror, 3' flexible shaft, (4) AA batteries, storage case and instruction manual**

SPECIFICATIONS	
CAMERA HEAD DIAMETER	*5.5mm*
DISPLAY RESOLUTION	*640 X 480*
DEPTH OF FIELD	*60-100mm*
FLEXIBLE SHAFT	*3'*
RUN TIME	*2-3 hours*
OPERATING TEMPERATURE	*32°F to 113°F*
BATTERIES	*4 X AA (included)*

3 YEAR LIMITED WARRANTY INSPECTION

3.5" Color LCD Screen
Provides a clear picture of hard-to-reach places

2-Position Live-View Rotation With Image Mirroring
Screen image rotates to upright picture at push of a button

Mini USB
For transferring data to an external source

Micro SD Card Slot
For storing images and video (4GB Micro SD card included)

3' Flexible Shaft
For viewing hard-to-reach places

8.5mm Camera with Dimmable LED Lights
Allows the user to adjust the camera view to see detail

8.5mm Digital Inspection Camera with 3.5" Screen *244-5967*

- 8.5mm camera with dimmable LED lights and image rotation to offer best viewing of hard-to-reach places
- Includes digital inspection camera, mirror, hook, magnet, AV cable, USB cable, 4GB micro SD card, 3' flexible shaft, (4) AA batteries, storage case and instruction manual

SPECIFICATIONS	
LCD DISPLAY	*3.5" color LCD*
CAMERA HEAD DIAMETER	*8.5mm*
ADJUSTABLE IMAGE ZOOM	*5x*
DISPLAY RESOLUTION	*320 X 240*
DATA STORAGE	*4GB micro SD card*
FLEXIBLE SHAFT	*3'*
RUN TIME	*4 hours*
OPERATING TEMPERATURE	*-32°F to 113°F*
BATTERIES	*4 X AA (included)*

2.4" Color LCD Screen
Provides a clear picture of hard-to-reach places

2-Position Live-View Rotation With Image Mirroring
Screen image rotates to upright picture at push of a button

3' Flexible Shaft
For viewing hard-to-reach places

IP67 Rated 8.5mm Camera with Dimmable LED Lights
Allows the user to adjust the camera view to see detail, rated for immersion up to 3'

Digital Inspection Camera with 2.4" Screen *244-5968*

- Has brightness control and image rotation
- Includes digital inspection camera, hook, mirror, magnet, AV cable, 3' flexible shaft, (4) AA batteries, storage case and instruction manual

SPECIFICATIONS	
LCD DISPLAY	*2.4" color LCD*
CAMERA HEAD DIAMETER	*8.5mm*
DISPLAY RESOLUTION	*320 X 240*
FLEXIBLE SHAFT	*3'*
RUN TIME	*4 hours*
OPERATING TEMPERATURE	*-32°F to 113°F*
BATTERIES	*4 X AA (included)*

2" Color LCD Screen
Provides a clear picture

Setup and trigger button
for easy measurement

Infrared Thermometer *243-1993*

- Measures temperatures from -40°F to 986°F (-40°C to 530°C)
- Easy-to-read, back-lit four-color LCD display

SPECIFICATIONS	
DISTANCE TO SPOT RATIO	*12:1*
TEMPERATURE RANGE	*-40° TO 986°F*
ACCURACY	*2%*
RESPONSE TIME	*0.5 seconds*
EMISSIVITY	*Fixed at 0.95*
AMBIENT OPERATING RANGE	*32° TO 104°F*
BATTERIES	*(1) 9 Volt (included)*

TOOL CHESTS

MASTER FORCE
MASTER FORCE
MASTER FORCE
MASTER FORCE
MASTER FORCE

TOOL CHESTS

TOOL CHESTS

19 GAUGE STEEL

Built-in Power Strip
Perfect for charging batteries

Raise & Release™ Secure Latching System
Keeps drawers tightly closed and reduces risk of accidental opening

Heavy-Duty, Full Extension Ball-Bearing Drawer
Slides hold up to 110 lbs.

Dual Sliding Drawer
220 lb. drawer capacity

33% MORE STORAGE THAN TRADITIONAL 18" DEEP CHESTS & CABINETS!

24 SIZE & COLOR COMBINATIONS AVAILABLE!



30" x 24" 5-Drawer Tool Chest
- 10,400 cubic inches of storage
- 700 lb. weight capacity
- 29-7/8"W x 26-1/8"H x 24-1/4"D *245-1900, 1904, 1908, 1912*

36" x 24" 8-Drawer Tool Chest
- 12,700 cubic inches of storage
- 700 lb. weight capacity
- 36"W x 26-1/8"H x 24-1/4"D *245-1916, 1920, 1924, 1928*

30" x 24" 5-Drawer Tool Cabinet
- 14,500 cubic inches of storage
- 1,800 lb. weight capacity
- 30-1/2"W x 40-7/8"H x 24-5/8"D *245-1902, 1906, 1910, 1914*

36" x 24" 6-Drawer Tool Cabinet
- 17,400 cubic inches of storage
- 1,800 lb. weight capacity
- 36-5/8"W x 40-7/8"H x 24-5/8"D *245-1918, 1922, 1926, 1930*

TOOL CHESTS

41" x 24" 8-Drawer Tool Chest

- 12,500 cubic inches of storage
- 900 lb. weight capacity
- 41"W x 26-1/8"H x 24-1/4"D *245-1932, 1936, 1940, 1944*

41" x 24" 11-Drawer Tool Cabinet

- 19,100 cubic inches of storage
- 2,000 lb. weight capacity
- 41-5/8"W x 40-7/8"H x 24-5/8"D *245-1934, 1938, 1942, 1946*

TOOL CHESTS

46" x 24" 8-Drawer Tool Chest
- 13,900 cubic inches of storage
- 900 lb. weight capacity
- 45-3/8"W x 26-1/8"H x 24-1/4"D

245-1948, 1952, 1956, 1960

16" x 24" 6-Drawer Side Tool Cabinet
- 6,000 cubic inches of storage
- 450 lb. weight capacity
- 16"W x 34-3/4"H x 24-5/8"D

245-1988, 1992, 1996, 2000

46" x 24" 11-Drawer Tool Cabinet
- 20,900 cubic inches of storage
- 2,100 lb. weight capacity
- 46-1/8"W x 40-7/8"H x 24-5/8"D

245-1950, 1954, 1958, 1962

TOOL CHESTS

56" x 24" 8-Drawer Tool Chest
- 20,700 cubic inches of storage
- 900 lb. weight capacity
- 55-3/8"W x 26-1/8"H x 24-1/4"D

245-1964, 1968, 1972, 1976

16" x 24" 3-Drawer Side Locker
- 12,700 cubic inches of storage
- 450 lb. weight capacity
- 15-1/4"W x 54-1/4"H x 24-5/8"D

245-1990, 1994, 1998, 2002

56" x 24" 11-Drawer Tool Cabinet
- 26,700 cubic inches of storage
- 2,100 lb. weight capacity
- 56"W x 40-7/8"H x 24-5/8"D *245-1966, 1970, 1974, 1978*

TOOL CHESTS

Stainless-Steel Work Surface

- Resists liquid and chemical spills and wipes off easily
- Designed to fit over the Masterforce® 72" tool cabinet
- 72-1/4"W x 1-1/8"H x 24-1/8"D *245-1697*

72" x 24" 15-Drawer Mobile Tool Cabinet

- 38,600 cubic inches of storage
- 3,000 lb.. weight capacity
- 72-5/8"W x 45-7/8"H x 24-5/8"D *245-1980, 1982, 1984, 1986*

26" Black Triangle Tool Box

- Includes pegs for box end wrenches and sockets as well as slots for screwdrivers and ratchets
- 250 lb. max weight capacity
- 26-3/4"W x 17-3/4"D x 18"H *245-1684*

Only available in Black. Accessories not included.

26" Black 2-Drawer Mobile Tool Cart

- Raise & Release™ secure latching system keeps drawers tightly closed
- Heavy-duty, full extension ball-bearing drawer slides hold up to 100 lb. per drawer
- 26-5/8"W x 18"D x 36"H *245-1682*

Only available in Black.

TOOL CHESTS

A. 2-Door Stacking Cabinet
- 30-1/2"W x 40-1/8"H 24"D

211-4368

B. 2-Door Wall Cabinet
- 30-1/2"W x 30"H 12-3/8"D

211-4396

C. 1-Door Wall Cabinet
- 30-1/2"W x 20"H 12-3/8"D

211-4381

TOOL CHESTS

D. **4-Drawer Base Cabinet**
- 30-1/2"W x 34-3/4"H 24-1/8"D

211-4389

E. **60" x 24" Workbench**

211-4314

F. **Premium Shop Stool**
- 360° swivel padded seat
- 22-1/2" to 28" adjustable height *260-2015*

TOOL BAGS

HEAVY-DUTY VERSATILITY
EFFICIENT TOOL TRANSPORT

PREMIUM FEATURES

DURABILITY
1680-denier, heavy-duty, water-resistant material protects your tools

CAPACITY
Maximize your storage space inside and out making it easier to find the tool you need

ERGONOMIC
Heavy-duty telescoping handle for mobility and control

TOOL BAGS

Collapsible Handle For Easy Storage

18" Large Mouth Tool Bag

- 12 exterior pockets, 29 interior pockets with 28 elastic loops *246-3208*



1680-Denier Polyester

Spacious Interior

16" Large Mouth Tool Bag

- 12 exterior pockets, 25 interior pockets with 24 elastic loops *246-3206*

Heavy-Duty Wheels

18" Rolling Tool Bag

- 7 pockets inside and 11 pockets outside to organize a wide range of tools and accessories *246-3214*

14" Tool Bag

- 5 exterior pockets, 3 interior pockets with 8 loops *246-3212*

TOOL BAGS

24" Rolling Contractor's Tool Bag
- 10 exterior pockets, 12 interior pockets with 36 elastic loops *246-3242*

Double Tray Tool Bag
- 22 exterior pockets, 12 interior pockets with 9 elastic loops *246-3226*

18" Tool Bag
- 12 exterior pockets and 12 interior pockets *246-3230*

24" Tool Bag
- 14 exterior pockets and 12 interior pockets *246-3244*

18" Tech Tool Bag
- 8 exterior pockets, 18 interior pockets, driver wall includes 31 slots for easy access *246-3210*

12" Tool Bag
- 3 exterior pockets *246-3228*

14" Bucket Organizer
- 32 pockets to keep all of your tools and items organized *246-3224*

Bucket sold separately.

TOOL BAGS

16" Foldable Tool Tote
- 11 exterior pockets, 4 interior pockets with 8 loops *246-3232*

14" Supply Tote Bag
- 8 exterior pockets and 7 interior pockets *246-3222*

20" Tool Tote
- 12 exterior pockets, 6 interior pockets with 12 elastic loops *246-3204*

10" All-Purpose Tool Tote
- 12 exterior pockets, 7 interior pockets with 15 loops *246-3200*

Electrician's Tool Tote
- 12 exterior pockets, 16 interior pockets with 14 loops *246-3216*

Fastener Bags
- 2 interior pockets per organizer 246-3236

Extreme Tool Backpack
- 20 pockets and 26 loops *246-3220*

5" Utility Sack
- 4 exterior pockets, 7 interior pockets *246-3240*

TOOL BAGS

6-Pocket Apron
246-3525

Handyman Tool Belt
- 12 pockets *246-3523*

Carpenter Tool Belt
- 2 hammer holders
- 10 pockets *246-3519*

Pro Padded Suspenders
- Universally compatible: includes 4 belt loops that can be attached to any belt *246-3541*

Universal Suspenders
- Redistributes weight of tools *246-3539*

Pro Carpenter's Tool Belt with Suspenders
- 18 pockets and 2 hammer holders *246-3517*

Pro Framer's Tool Belt with Suspenders
- 25 pockets and 1 hammer holder *246-3515*

Framer's Tool Belt with Suspenders
- 24 pockets and 2 hammer holders *246-3521*

TOOL BAGS

2" Quick Release Work Belt

- Fits 29" to 46" waists 246-3533

Dual-Ring Hammer Holder

- One sleeve for nail puller and two sleeves for nail sets and punches 246-3511

Padded Work Belt

- Fits 32" to 48" waists *246-3535*

Power Tool Holder

- Heavy-duty steel air gun and power tool hook *246-3531*

Electrician Pouch

- 23 pockets and loops *246-3527*

Carpenter Pouch

- 10 pockets and loops *246-3501*

Electrician Pouch

- 14 pockets and loops *246-3509*

Warehouse Pouch

- 7 versatile pockets *246-2914*

Tradesman Pouch

- 12 pockets and loops *246-3507*

Organizer Pouch

- 7 pockets and loops *246-3505*

Utility Knife Pouch

- 5 pockets and loops *246-2916*

Drill Holster

- 8 pockets and loops *246-3503*

TOOL BELTS

Oil-Tanned Leather Tool Belt
- 11 pockets and 2 steel hammer loops *246-3573*

Oil-Tanned Leather Electrician Pouch
- 9 pockets and loops *246-3571*

Oil-Tanned Leather & Fastener Pouch
- 10 pockets and 2 steel hammer loops *246-3569*

Leather Utility Loop
- Anything with a clip easily attaches: tape measures, clip-on bags, meter case *246-1052*

3" Work Belt
- Premium oil-tanned leather for maximum performance and longer life *246-3577*

Contoured Padded Belt
- Padded, contoured design for comfort *246-3575*

Classic Leather Apron
- 11 pockets and 2 leather hammer loops *246-3567*

Classic Leather 10-Pocket Tool Pouch
- 10 pockets and 2 steel hammer loops *246-3565*

TOOL BELTS

Suede Leather Carpenter Apron
- 13 pockets and 2 steel hammer loops *246-3593*

Suede Leather Nail & Tool Pouch
- 10 large and small pockets *246-3591*

Canvas Finisher's Apron
- 10 pockets and loops *246-3547*

Canvas Pouch
- 10 pockets and loops *246-3543*

2" Large or X-Large Saddle Leather Work Belt
- 2" saddle leather construction for durability *246-3587, 3589*

Saddle Leather Tape Measure Pouch
- Saddle leather design for added durability *246-3579*

Saddle Leather Utility Knife Pouch
- Plastic lining to protect from knife blades *246-3581*

Saddle Leather Hammer Holder
- Steel hammer loop *246-3583*

KNEE PADS

Gel-Lite®

Rough Terrain
- Breathable CoolFlow™ body helps prevent heat build-up *246-2329*

PRO Flat Terrain
- Articulating feet with extended top for stability and greater range of forward motion *246-2315*

Hard Terrain
- Extra thick outer shell for added durability *246-2311*

T-Foam™

Lightweight
- Comfortable to wear all day *246-2333*

Pro Ultra Flex
- Accordion top design helps secure knee pads as you get up and down *246-2313*

Tradesman Double Strap
- Flame-laminated inner sponge and wicking liner *246-2335*

EAZYZIP™ Non-Marring Sure Grip
- Hard cap protects against abrasive surfaces *246-2319*

Hard Terrain
- High-density foam inner pads provide cushioning and comfort *246-2321*

Flooring
- Built with heavy-duty polyester fabric for added durability *246-2323*

Gel-Pro™

Eliminator Rough Terrain
- Pressure-dispersing rough terrain cover with extended shin protection *246-2325*

Eliminator Hard Terrain
- Smooth hard outer shell for sliding on carpet *246-2327*

Total Flex Sure Grip
- Injection-molded polyurethane and gel technology for superior comfort and support *246-2309*

Nylon Flooring
- Nylon cover easily slides without scratching over delicate surfaces *246-2331*

KNEE PADS

Gel-Fit™

Stabilizer
- Comfortable GelFit™ gel and foam design *246-3555*

Specialist Thigh Support Stabilization
- Non-marring rubber shell grips equally well on inclined or delicate surfaces *246-3559*

Fanatic Thigh Support Stabilization
- Ultimate stability combined with easy side-to-side agility *246-3557*

Rugged
- Maximizes pressure distribution for all-day comfort *246-3549*

Rocker
- Comfortable GelFit™ gel and foam design *246-3551*

Non-Marring
- Ergonomically shaped to embrace the knee and upper shin *246-3553*

Pocket Insert Lightweight
- Built with high-density EVA padding for added protection *246-2307*

Leather
- Saddle leather exterior for strength and durability *246-3561*

Anti-Slip Flat Terrain
- Breathable mesh fabric combined with breathable padding to help stay cool *246-2317*

Rolling Knee Dolly
- Rugged PVC dolly construction *246-3563*

Laser GUIDE

LED Work Light and Laser Guide
Provide greater precision when aligning and cutting

On-Tool Storage
Allows for convenient transport of the saw and accessories together

Integrated Collapsible Stand
Folds quickly for portability and easy transportation

10" Wet Tile Saw

- 15-amp motor generates up to 4,500 RPM to easily cut through various materials such as natural stone, pavers, and porcelain tile *709-3912*

24" Tile Cutter

- Cuts wall and floor tiles up to 24" long, 17" diagonally, and 1/2" thick *709-1671*

7/8" Carbide cutting wheel *709-1979*

12" Super Scraper

- Perfect for scraping, chopping, or removing tough debris *709-8796*

Mixer with Paddle

- Designed to mix thick and dense materials *709-3956*

4" Handheld Tile Saw

- Ideal for cutting tile, stone, granite, block, brick and marble
- Bevel cuts from 0°–45° *709-3950*

7" Wet Tile Saw

- Oversized die-cast aluminum tilt-up cutting table for precision 15°, 30° and 45° miter cuts *709-3954*

V-Notch Margin Trowel

- 2" x 5" *709-8714*

Square-Notch Margin

- 2" x 5" *709-8712*

Margin Trowel

- 2" x 5" *709-8710*

Pointing Trowel

- 2" x 5-1/2" *709-8716*

V-Notch Trowel

- 3/16" x 5/32" *709-8822*
- 1/16"x 1/16" x 1/16" *709-8694*

Square Notch

- 1/2" *709-8724*
- 1/4" *709-8722*
- 1/4" x 3/8" x 1/4" *709-8824*

Gum Rubber Float

- 4" x 12" *709-8752*
- 4" x 9-1/2" *709-8750*

Epoxy Float

- 4" x 9-1/2" *709-8754*

Margin Float

- 2" x 6" *709-8746*

Duct Folding Tool

- Forms 3/8" and 1" seams in sheet metal
- **12"** *639-6027*
- **24"** *639-6028*

Adjustable Hole Cutter

- Cuts holes from 2" to 12" diameter in sheet metal up to 20 gauge
- Combination English/metric diameter gauge *639-6029*
- **2-Piece Hole Cutter Replacement Bits** *639-6030*

Trunk Duct V-Notcher

- Makes a 30-degree "V" corner notch for hand fabricating metal duct
- 13/16" throat depth *639-6023*

3" Trunk Duct Seamer

- Bends sheet metal and flattens duct connections
- 3-1/4" jaw width and 1-1/4" maximum seam depth *639-6025*

Cable Tie Tensioner

- Tightens the nylon ties faster and more securely
- Easy to operate cut-off mechanism that trims excess cable strap *639-6026*

5-Blade Round Pipe Crimper

- Creates crimped male fitting in round duct or stove pipe *639-6024*

Trunk Duct Snap Lock Punch

- Raises louver-shaped projection in sheet metal for locking into rolled edge of duct section
- Punches impression spaced 3/8" from edge of metal *639-6031*

Trunk Duct Stretcher

- Easily aligns rectangular duct for installation of drive cleat *639-6032*

Flex Duct Knife

- Double-edged knife has a regular and serrated blade *639-6033*

PEX

3/8" 1/2" 3/4" 1"

Multi-Head Crimp Tool

- For use with copper crimp rings
- Easily calibrated for accurate crimping

694-5366

1/2" 3/4"

Dual Crimp Tool

- For use with copper crimp rings

694-5361

3/4"

Angle Crimp Tool

- For use with copper crimp rings

694-5368

1/2"

Angle Crimp Tool

- For use with copper crimp rings

694-5360

3/8" 1/2" 3/4" 1"

Quick Cinch Clamp Tool

- For use with stainless-steel cinch clamps

694-5365

3/8" 1/2" 3/4" 1"

3-Handle Cinch Clamp Tool

- For use with stainless-steel cinch clamps

694-5305

1/2" 3/4"

PEX Sleeve Combo Tool

- For use with stainless-steel PEX and PEX tubing

694-5369

Remover Tool

- Easily cuts copper rings *694-5362*

3/8" 1/2" 3/4"

Clamp Removal Tool

- Safely removes 3/8", 1/2" and 3/4" clamps

694-5367

1/2" 3/4" 1"

PEX Cutter

- Cuts tubes square and smooth

694-5310

3/8" 1/2" 3/4" 1"

Crimp Ring Go/No-Go Gauge

- Tests 3/8", 1/2", 3/4" and 1" copper ring connections *694-5363*

3/8" 1/2" 3/4" 1"

Block Style Crimp Tool

- Requires 1/2" wrench or pliers (sold separately)

694-4976

PIPE WRENCHES

IRON

LENGTH	MAX OPENING	PIPE CAPACITY	INSTALLATION SIZE RANGE	SKU
10"	1-7/8"	1-1/2"	1/4" to 1"	*694-0937*
14"	2-3/8"	2"	1/2" to 1-1/2"	*694-0939*
18"	2-7/8"	2-1/2"	1" to 2"	*694-0941*
24"	3-1/2"	3"	1-1/2" to 2-1/2"	*694-0946*
36"	5-9/16"	5"	2" to 3-1/2"	*694-0943*
48"	6-5/8"	6"	3" to 5"	*694-0945*

ALUMINUM

LENGTH	MAX OPENING	PIPE CAPACITY	INSTALLATION SIZE RANGE	SKU
14"	2-3/8"	2"	1/2"-1-1/2"	*694-0875*
18"	2-7/8"	2-1/2"	1"-2"	*694-0876*
24"	3-1/2"	3"	1-1/2"-2-1/2"	*694-0877*

ONE-HANDED

LENGTH	MAX OPENING	PIPE CAPACITY	INSTALLATION	SKU
14"	2-3/4"	2"	1/2" to 1-1/2"	*694-0940*

DRYWALL

MADE IN USA

6" Carbon Steel Clipped Blade Putty Knife

244-7894

Flex Carbon Steel Putty Knife

- **1-1/2"** *244-7890*
- **4"** *244-7891*
- **6"** *244-7892*

6" Stainless-Steel Flex Putty Knife

244-7893

6-in-1 Carbon Steel Multi-Function Putty Knife

244-7895

6-1/2" Stainless-Steel Pail Scoop

244-7942

Blue Spring Steel Taping Knife

- **6"** *244-7933*
- **8"** *244-7934*
- **10"** *244-7935*
- **12"** *244-7936*
- **14"** *244-7884*

Blue Spring Steel Comfort Grip Taping Knife

- **8"** *244-7930*
- **10"** *244-7931*
- **12"** *244-7932*

Stainless-Steel Comfort Grip Taping Knife

- **8"** *244-7910*
- **10"** *244-7912*
- **12"** *244-7914*

Pie Shaped Stainless-Steel Knife

244-7850

11" Pivoting Stainless-Steel Broad Knife

244-7944

Texture Knockdown Knife

- **18"** *244-7937*
- **24"** *244-7938*

20" Do-All Drywall Knife

244-7886

12" Mud Pan Mixer

244-7887

28" Easy Mixer

244-7888

28" Tornado Power Mixer

244-7943

EZ Load Drywall Tape Banjo

561-9247

Tape Holder

244-7987

12" Contoured Stainless-Steel Mud Pan

244-7882

14" Stainless-Steel Mud Pan

244-7940

21" Bow Saw *248-1903*
- **21" Bow Saw Replacement Blade** *248-1908*

Forged For Strength & Durability

Bypass Pruner
- **3/4" cutting capacity** *265-5977*

Bypass Lopper
- **2" cutting capacity** *265-5979*

Hedge Shears
- **Anti-shock bumpers** *265-5978*

LONG HANDLES

LIMITED LIFETIME WARRANTY

FIBERGLASS HANDLE

69" Steel Handle 18 lb. Pinch Point Bar
265-4512

69" Post Hole Digging Bar
- Ideal for loosening compact soil and rock *265-4508*

A. Landscape Rake
- 36" aluminum head *265-4285*

B. Shingle Remover
- Ergonomic D-grip fiberglass handle *265-4301*
- **Shingle Remover Blade** *265-4303*

C. Digging Shovel
265-4280

D. Transfer Shovel
265-4281

E. 16-Tine Bow Rake
265-4282

F. Trenching Shovel
- V-shape steel blade measuring 5" for narrow digging *265-4283*

G. Post Hole Digger
- Hercules pattern steel blades *265-4284*

LONG HANDLES

WOOD HANDLE

A. Mortar Hoe
265-4256

B. 16-Tine Level Head Rake
265-4255

C. Shingle Shovel
265-4257

D. Drain Spade Shovel
265-4258

E. 5-Tine Manure Fork
265-4259

F. Digging Shovel
- 31" D-handle or 48" handle
265-4250, 4252

G. Transfer Shovel
- 31" D-handle or 48" handle
265-4251, 4253

80-VOLT 4 YEAR LIMITED WARRANTY

Rapid Charger
267-3314

18" Chainsaw Kit
- 45CC gas equivalent
- On-board chain tensioning tool
- Includes 2.0Ah lithium-ion battery and charger *239-1523*

24" Hedge Trimmer
- 3/4" cutting capacity
- 180° rotating handle *267-1543*

Battery and charger sold separately.

16" String Trimmer Kit
- Attachment capable
- Up to 45-minute run time
- Includes 2.0Ah lithium-ion battery and rapid charger *267-3199*

21" Mower Kit
- Self-propelled
- 3-in-1 mulch, bag, side discharge
- Includes 5.0Ah lithium-ion battery and rapid charger *270-1145*

4 YEAR LIMITED WARRANTY

80-VOLT

10" Polesaw Kit

- 8' aluminum shaft
- Up to 80 cuts per charge
- Includes 2.0Ah lithium-ion battery *239-1524*

2.0Ah Lithium-Ion Battery Pack

- 30-minute charge *267-3313*

Jet Blower Kit

- 580 CFM with cruise control
- Up to 30-minute run time on low speed
- Includes 2.0Ah lithium-ion battery and rapid charger *267-3119*

Backpack Blower Kit

- 580 CFM with cruise control
- Up to 30-minute run time on low speed
- Includes 2.0Ah lithium-ion battery and rapid charger *267-3104*

10" Cultivator Kit

- Adjustable 6" to 10" tilling width
- 1700 strikes per minute
- Includes 2.0Ah lithium-ion battery and rapid charger *270-2454*

80 VOLT MAX

BRUSHLESS

AUTOMOTIVE

3 YEAR LIMITED WARRANTY

Gives added Security & Stability

Where you need it most

Quick-Pump Floor Jack
- 3.5-ton lifting capacity
- 5-3/4" to 19-5/8" lifting range
- Quick-set foot pump lifts arm into position in just one pump *260-2004*

Low Profile Floor Jack
- 3-ton lifting capacity
- 3-1/8" to 20" lifting range
- Ultra-low profile design for getting under most vehicles quickly and easily *260-2005*

Aluminum Hybrid Floor Jack
- 2.5-ton lifting capacity
- 4" to 18-1/4" lifting range
- Aluminum hybrid design is 20% lighter than comparable all-steel jacks *260-2006*

Heavy-Duty Floor Jack
- 3-ton lifting capacity
- 4" to 23" lifting range
- 2-stage hydraulic pumping system lifts loads up to 75% faster *260-2007*

Double Locking Jack Stand
- **3-ton** *260-2001*
- **6-ton** *260-2002*
- **12-ton** *260-2003*

Premium Shop Stool
- 360° swivel padded seat
- 22-1/2" to 28" adjustable height *260-2015*

Car Creeper with Tool Trays
- Large ball bearing casters provide smooth, easy movement
- Multi-position, adjustable headrest *260-2008*

WET/DRY VACS

3 YEAR LIMITED WARRANTY

4-Gallon Jobsite

- 2-stage industrial motor provides greater suction power and longer motor life *240-5235*

5-Gallon Wall Mount

- 5 peak HP
- Includes 21' hose
- Easily detaches from wall for portability *240-5237*

8-Gallon HEPA

- Certified HEPA system features 4 levels of filtration *240-5240*

4-Gallon Household

- Ultra quiet, 5 peak HP
- 18' cord with automatic rewind
- Includes multi-surface floor nozzle that works great on hard or carpeted floors *240-5236*

16-Gallon

- 6.0 peak HP
- 10' x 2-1/2" kink resistant hose
- Includes water pump accessory *240-5239*

8-Gallon

- 4.5 peak HP
- Includes quick release detachable blower with up to 190 MPH blowing speed *240-5238*

2,400 CFM
Max Airflow Capacity

1/3 HP Air Mover
- 2,400 CFM airflow capacity
- 3 units can be daisy chained
  621-1635, 1636, 1637, 1638

Available in multiple colors

1,600 CFM
Max Airflow Capacity

14" Axial Fan
- 1,600 CFM airflow capacity
- 10 units can be daisy chained
  621-1536, 1537, 1538, 1539

Available in multiple colors

1/6 HP Air Mover
- 700 CFM airflow capacity and built-in outlets
- 8 units can be daisy chained
  621-1627, 1628, 1629, 1630

1/4 HP Air Mover
- 1,600 CFM airflow capacity
- 4 units can be daisy chained
  621-1631, 1632, 1633, 1634

1/2 HP Air Mover
- 2,800 CFM airflow capacity
  621-1583

1 HP Air Mover
- 4,000 CFM airflow capacity
- Features telescoping handle with wheels *621-1778*

1/3 HP Low Profile Air Mover
- 1,050 CFM high volume air movement
- Four units can be daisy chained
  621-1639, 1640, 1641, 1642

145-Pint Dehumidifier
- 180 CFM airflow capacity
- Electronic display with extendable handle and wheels *623-5245*

HEPA Air Scrubber
- 600 CFM airflow capacity
- 3-Stage HEPA filtration with option to add an activated carbon filter *633-6051*

FANS

Portable Outdoor Misting Fan

- 600 CFM airflow capacity
- Dual-purpose utility fan for both ventilation and cooling mist - connects to a standard garden hose *621-1626*

Orbital Floor Fan

- **14"** *621-1730*
  2,000 CFM airflow capacity
- **20"** *621-1731*
  4,600 CFM airflow capacity

18" Oscillating Floor Fan

- 4,000 CFM airflow capacity *621-1738*

Floor Fan

- **9"** *621-1727*
  1,200 CFM airflow capacity
- **14"** *621-1728*
  2,000 CFM airflow capacity
- **20"** *621-1729*
  4,600 CFM airflow capacity

Shroud Floor Fan

- **9"** *621-1732*
  1,200 CFM airflow capacity
- **14"** *621-1733*
  2,000 CFM airflow capacity
- **20"** *621-1734*
  5,200 CFM airflow capacity

Shroud DC Floor Fan

- **9"** *621-1735*
  1,500 CFM airflow capacity
- **14"** *621-1736*
  2,500 CFM airflow capacity
- **20"** *621-1737*
  5,200 CFM airflow capacity

Outdoor Wall/Ceiling Mount Fan

- **18"** *621-1765*
  4,000 CFM airflow capacity
- **30"** *621-1766*
  8,900 CFM airflow capacity

16" DC Hanging Fan

- 2,500 CFM airflow capacity *621-1763*

18" Oscillating Wall Mount Fan

- 3,100 CFM airflow capacity *621-1764*

FANS

Pivoting Drum Fan

- **24"** *621-1742*
  6,000 CFM airflow capacity
- **30"** *621-1722*
  8,800 CFM airflow capacity
- **36"** *621-1723*
  12,000 CFM airflow capacity

Drum Fan

- **24"** *621-1739*
  7,000 CFM airflow capacity
- **30"** *621-1743*
  8,800 CFM airflow capacity
- **36"** *621-1744*
  10,500 CFM airflow capacity

20" Shroud Pedestal Fan

- 5,200 CFM airflow capacity *621-1759*

24" Oscillating Pedestal Fan

- 6,000 CFM airflow capacity *621-1762*

30" Pedestal Fan

- 9,000 CFM airflow capacity *621-1761*

MASTER FORCE®

POWER. PERFORMANCE. DURABILITY.